Form 3160-3 (November 1983) (formerly 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TOTALE*

(Other instructions on reverse side)


Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

DEPARIMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO.					AND SERIAL NO.		
BUREAU OF LAND MANAGEMENT					UTU-01791		
APPLICATIO	N FOR PERMIT	TO DRILL, I	DEEPEN, OR	PLUG B	ACK	6. IF INDIAN, ALLOTTE	OR TRIBE NAME
1a. TYPE OF WORK						Not Applicab	
DR	ILL 🔯	DEEPEN [P	LUG BAC	:K 🗌	7. UNIT AGREEMENT N	
b. TYPE OF WELL			SINGLE [V]	MULTIP		Natural Butt	
	VELL OTHER		ZONE X	ZONE		8. FARM OR LEASE NA	ME
2. NAME OF OPERATOR	0.00	•	•		ļ	CIGE 9. WELL NO.	
3. ADDRESS OF OPERATOR	& Gas Corporat	:10n					
••••••••••	Ma Donyon Col	onado 90	201_07/0			138-6-10-21 10. FIELD AND POOL, O	R WILDCAT
4. LOCATION OF WELL (F	49, Denver, Col	in accordance wit	h any State requires	nents.*)	$\overline{}$	► Natural Butt	
At surface	_				ļ	11. SEC., T., R., M., OR I	
205/' FNL, At proposed prod. zon	1993' FWL (SE ₄ N	Wa) Section	1 6, 110S, R	(1E]	AND SURVEY OR AS	REA
Same As Abo				•	.	Section 6, T	10S, R21E
14. DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	r office*			12. COUNTY OR PARISH	13. STATE
Approximate	ely Twelve (12)	Miles South	east of Oura	y, Utah	ĺ	Uintah	Utah
15. DISTANCE FROM PROP LOCATION TO NEARES	T		16. NO. OF ACRES I	N LEASE		F ACRES ASSIGNED	
PROPERTY OR LEASE : (Also to nearest dri	LINE, FT. g. unit line, if any)	1993'	2163.61			80	
18. DISTANCE FROM PROPERTY OF NEAREST WELL, I	COSED LOCATION* ORILLING, COMPLETED,		19. PROPOSED DEPT		20. ROTAR	Y OR CABLE TOOLS	
OR APPLIED FOR, ON TE	IS LEASE, FT.	2487.17'±	س '6000 ك	STC		Rotary	
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 22. APPROX. DATE WORK WILL START*							
4967' GR April 20, 1991							
23. (A	LL NEW)	PROPOSED CASI	NG AND CEMENTIN	G PROGRAM	1		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	OOT SETTING	DEPTH		QUANTITY OF CEME	NT.
12-1/4"	8-5/8" K-55	24.0#	0- 250	1	180 sx	Circ. to Sur	face *_
<u>7-7/8"</u>	5-1/2" K-55	17.0#	0-6000	1	<u>545 sx</u>	Circ to Sun	FOR CALL
				;			जिए प्रमान
* Cement volumes may change due to hole size. Calculate from Caliper log. MAR 2 5 1991							
EIGHT-POINT RESOURCE PROTECTION PLAN ATTACHED. DIVISION OF							
I hereby certify that Coastal Oil & Gas Corporation is authorized by the proper Lease Interest Owners to conduct lease operations associated with this Application for Permit to Drill the CIGE #138-6-10-21, Federal Lease # UTU-01791. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas Corporation, Nationwide Bond # CO-0018, who will be responsible for compliance with all the terms and conditions of that portion of the lease associated with this Application.							

IN ABOVE SPACE DESCRIBE PROFOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

SIGNET Charles & Moury	District Drilling Manager March 19, 1991
	ACTIVITY BY THE STATE
(This space for Federal or State office use)	OF LITALI DIVIDIONI OF
API 13 117 31047	OF UTAH DIVISION OF
	011 000 000 000000
PERMIT NO. 4.7-041 01101	APPROVAL DATE OIL, GAS, AND MINING
	2-26 67
	DATE: 2 - 29-9 /
APPROVED BY	TITLE
CONDITIONS OF APPROVAL, IF ANY:	BY: PY MITKOUL
COUDITIONS OF WITHOUTH IN WIT.	to person
	WELL SPACING: 6/5-2-3
	WILL OF AUTION 2

T10S, R21E, S.L.B.&M.



N89'35'W - 80.29 (G.L.O.)

▲ = SECTION CORNERS LOCATED. (Bross Caps)

COASTAL OIL & GAS CORP.

Well location, CIGE # 138-6-10-21, located as shown in the SE 1/4 NW 1/4 of Section 6, T10S, R21E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



MAR 2 5 1991

DIVISION OF OIL GAS & MINING



THIS IS TO CERTIFY THAT THE SHOWE PLAT WAS PREPARED TROM
FIELD NOTES OF ACTUAL SURVEY HADE BY ME TO SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND TELLS.

UINTAH ENGINEERING & LAND SURVEYING P. O. BOX 1758 - 85 SOUTH - 200 EAST VERNAL UTAH - 84078

SCALE 1" = 1000'	DATE 2-26-91			
PARTY	REFERENCES			
J.F. D. A. R.E.H.	G.L.O. PLAT			
WEATHER	FILE			
COLD	COASTAL OIL & GAS CORP			

COASTAL OIL & GAS CORPORATION
Lease #UTU-01791, CIGE #138-6-10-21
SE¹/₄NW¹/₄, Section 6, T10S, R21E
Uintah County, Utah

Drilling Prognosis

1. Estimated Tops of Important Geologic Markers:

Uinta Surface Wasatch 4780' Green River 1430' Total Depth 6000'

2. <u>Estimated Depths of Anticipated Water, Oil, Gas or Mineral</u> Formations:

Wasatch 4780' Gas (Primary Objective)

If any shallow water zones are encountered, they will be adequately protected and reported; none anticipated. All potentially productive hydrocarbon zones will be cemented off.

- 3. Pressure Control Equipment: (Schematic Attached)
 - A. Type: 11" Double Gate Hydraulic.

The Blow-Out Preventer will be equipped as follows:

- 1. One (1) blind ram (above).
- 2. One (1) pipe ram (below).
- 3. Kill line (2-inch minimum).
- 4. One (1) kill line valve (2-inch minimum).
- 5. One (1) choke line valve.
- 6. Two (2) adjustable chokes.
- 7. Upper kelly cock valve with handle available.
- 8. Safety valve & subs to fit all drill strings in use.
- 9. 2-inch (minimum) choke line.
- 10. Pressure gauge on choke manifold.
- B. Pressure Rating: 2,000 psi
- C. Testing Procedure:

At a minimum, the BOP, choke manifold, and related equipment will be pressure tested to the approved working pressure of the BOP stack (if isolated from the surface casing by a test plug) or to 70% of the internal yield strength of the surface casing (if the BOP is not isolated from the casing by a test plug). Pressure will be maintained for a period of at least ten (10) minutes or until the requirements of the test are met, whichever is longer.

3. Pressure Control Equipment:

C. Testing Procedure: Continued

At a minimum, the above pressure test will be performed:

- 1. When the BOP is initially installed;
- 2. Whenever any seal subject to test pressure is broken;
- 3. Following related repairs; and
- 4. At thirty (30) day intervals.

In addition to the above, the pipe and blind rams will be activated each trip, but not more than once each day.

All BOP drills and tests will be recorded in the IADC driller's log.

D. Choke Manifold Equipment:

All choke lines will be straight lines unless turns use tee blocks or are targeted with running tees, and will be anchored to prevent whip and vibration.

E. Accumulator:

The accumulator will have sufficient capacity to close all BOP's and retain 200 psi above precharge. Nitrogen bottles which meet the manufacturer's specifications will be used as the backup to the required independent power source. The accumulator precharge pressure test will be conducted prior to connecting the closing unit to the BOP stack and at least once every six (6) months thereafter. The accumulator pressure will be corrected if the measured precharge pressure is found to be above or below the maximum or minimum limits specified in Onshore Operating Order #2.

F. Special Drilling Operations:

In addition to the equipment already specified in Items A through E, above, the following equipment will be in place and operational during air/gas drilling:

- 1. Properly lubricated and maintained rotating head.
- Spark arresters on engines or water cooled exhaust.
- 3. Blooie line discharge 100 feet from well bore and securely anchored.

3. Pressure Control Equipment:

- F. Special Drilling Operations: Continued
 - 4. Straight run on blooie line.
 - 5. Deduster equipment (not required for aerated water system).
 - 6. All cuttings and circulating medium(s) shall be directed into a reserve or blooie pit.
 - 7. Float valve above bit.
 - 8. Automatic igniter or continuous pilot light on the blooie line (not required for aerated water system).
 - 9. Compressors located in the opposite direction from the blooie line and at a minimum of 100 feet from the well bore.
 - 10. Mud circulating equipment, water, and mud materials (does not have to be pre-mixed) sufficient to maintain the capacity of the hole and circulating tanks or pits.

G. Miscellaneous Information:

The Blow-Out Preventer and related pressure control equipment will be installed, tested and maintained in compliance with the specifications in and requirements of Onshore Operating Order #2.

The choke manifold and BOP extension rods with hand wheels will be located outside the rig sub-structure. The hydraulic BOP closing unit will be located at least twenty-five (25) feet from the well head but readily accessible to the driller.

Exact locations and configurations of the hydraulic BOP closing unit will depend upon the particular rig contracted to drill this hole.

A flare line will be installed after the choke manifold, extending 100 feet (minimum) from the center of the drill hole to a separate flare pit.

4. The Proposed Casing and Cementing Program: (All New)

A. Casing Program

<u>Hole Size</u>	<u>Casing Size</u>	Wt./Ft.	<u>Grade</u>	<u>Joint</u>	Depth Set
12-1/4"	8-5/8"	24.0#	K-55	ST&C	0- 250'

4. The Proposed Casing and Cementing Program: (All New)

A. Casing Program - Continued

<u> Hole Size</u>	<u>Casing Size</u>	Wt./Ft.	<u>Grade</u>	<u>Joint</u>	Depth Set
7-7/8"	5-1/2"	17.0#	K-55	LT&C	0-6000'

Casing string(s) will be pressure tested to 0.22 psi per foot, or 1500 psi (not to exceed 70% of the internal yield strength of the casing), whichever is greater, after cementing and prior to drilling out from under the casing shoe.

B. Cementing Program

Surface Casing : Cement with approximately 180 sx Class "G" cement + additives, circulated to surface with 100% excess.

Production Casing: Lead with approximately 350 sx
Halliburton Silica "Lite" cement
with 4% Gel, 4% CaCl2, 0.3 % Halad413 and 2.0#/sx Granulite TR; tail
with approximately 195 sx Class "G"
cement + additives. Cement will be
circulated back to surface with 30%

Actual cement volumes to be required will be determined from the caliper log.

excess.

All waiting on cement (WOC) times will be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.

5. Mud Program: (Visual Monitoring)

Interval	Type	Weight	Viscosity	Fluid Loss
0-6000'	Aerated Water			

Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control during the course of drilling operations.

Evaluation Program:

: DIL-Caliper Logs

: 6000' - Surface : 6000' - 1500' FDC-CNL

: None anticipated. DST's

: None anticipated. Cores

The proposed evaluation program may change at the discretion of the wellsite geologist, with prior approval from the Authorized Officer, Bureau of Land Management.

: No stimulation or frac treatment has Stimulation

> been formulated for this test at this time. The drill site, as approved, will be of sufficient size to accommodate all

completion activities.

Whether the well is completed as a dry hole or as a producer, Well Completion and Recompletion Report and Log (Form 3160-4) will be submitted to the Book Cliffs Resource Area Office not later than thirty (30) days after the completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164.

Two (2) copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer, Book Cliffs Resource Area Office, Bureau of Land Management, 170 South 500 East, Vernal, Utah 84078, Phone: (801) 789-1362.

Abnormal Conditions: 7.

No abnormal temperatures or pressures are anticipated. No H2S has been encountered in or known to exist from previous wells drilled to similar depths in the general area. Maximum anticipated bottom hole pressure equals approximately 2,790 psi (calculated at 0.465 psi/foot) and maximum anticipated surface pressure equals approximately 1,470 psi (bottom hole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates and Notification of Operations:

A. Drilling Activity

Anticipated Commencement Date: April 20, 1991

Drilling Days : Approximately 10 Days Completion Days : Approximately 7 days

B. Notification of Operations

The Book Cliffs Resource Area Office, Bureau of Land Management will be notified at least twenty-four (24) hours PRIOR to the commencement of the following activities:

- 1. Spudding of the well. This oral report will be followed up with a Sundry Notice (Form 3160-5);
- initiating pressure tests of the blow-out preventer and related equipment;
- running casing and cementing of ALL casing strings.

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval of the Authorized Officer. If operations are to be suspended, prior approval of the Authorized Officer will be obtained and notification given before resumption of operations.

In accordance with Onshore Operating Order #1, this well will be reported on MMS Form 3160-6, "Monthly Report of Operations", starting with the month in which operations commence and continuing each month until the well is physically plugged and abandoned. This report will be filed directly with the Royalty Management Program, Minerals Management Service, P.O. Box 17110, Denver, Colorado 80217.

Immediate Report: spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the provisions of NTL-3A or its current revision.

8. Anticipated Starting Dates and Notification of Operations:

B. Notification of Operations - Continued

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed for prior approval of the Authorized Officer, and all conditions of this approved plan will be applicable during all operations conducted with the replacement rig.

Should the well be successfully completed for production, the Authorized Officer will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication no later than five (5) business days following the date on which the well is placed on production.

Pursuant to NTL-2B, with the approval of the Authorized Officer, produced water may be temporarily disposed of into the reserve pit for a period of up to ninety (90) days. During this period so authorized, an application for approval of the permanent disposal method, along with the required water analysis and other information, must be submitted to the Authorized Officer.

Pursuant to NTL-4A, lessees and operators are authorized to vent/flare gas during initial well evaluation tests, not exceeding a period of thirty (30) days or the production of fifty (50) MMCF of gas, whichever occurs first. An application must be filed with the Authorized Officer, and approval received, for any venting/flaring of gas beyond the initial thirty (30) day or otherwise authorized test period.

A schematic facilities diagram as required by 43 CFR 3162.7-2, 3162.7-3, and 3162.7-4 shall be submitted to the Vernal District Office within thirty (30) days of installation or first production, whichever occurs first. All site security regulations as specified in 43 CFR 3162.7 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-4.

A first production conference will be scheduled within fifteen (15) days after receipt of the first production notice.

8. Anticipated Starting Dates and Notification of Operations:

B. Notification of Operations - Continued

No well abandonment operations will be commenced without the prior approval of the Authorized Officer. In the case of newly-drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the Authorized Officer.


A "Notice of Intention to Abandon" (Form 3160-5) will be filed with the Authorized Officer within fifteen (15) days following the granting of oral approval to plug and abandon.


Upon completion of approved plugging, a regulation marker will be erected in accordance with 43 CFR 3162.6 The following information will be permanently placed on the marker with a plate, cap, or beaded-on with a welding torch: "Fed" or "Ind", as applicable; Company Name, Well Name and Number, Location by Quarter/Quarter, Section, Township, Range, and Federal or Indian Lease Number.

A "Subsequent Report of Abandonment" (Form 3160-5) will be submitted within thirty (30) days following the actual plugging of the well bore. This report will indicate where plugs were placed and the current status of surface restoration operations. If surface restoration has not been completed at that time, a follow-up report on Form 3160-5 will be filed when all surface restoration work has been completed and the location is considered ready for final inspection. Final abandonment will not be approved until the surface reclamation work required by the approved Application for Permit to Drill has been completed to the satisfaction of the Authorized Officer or his representative, or the appropriate Surface Management Agency.

Pursuant to Onshore Operating Order #1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in such a manner which conforms with applicable Federal laws and regulations and with State and local laws and regulations to the extent that such State and local laws are applicable to operations on Federal and Indian lands.

BOP STACK





COASTAL OIL & GAS CORPORATION
Lease #UTU-01791, CIGE #138-6-10-21
SE¼NW¼, Section 6, T10S, R21E
Uintah County, Utah

Multi-Point Surface Use and Operations Plan

- 1. Existing Roads: Refer to Maps "A" & "B" (shown in ORANGE)
 - A. The proposed well site is staked and four 200-foot reference stakes are present.
 - To reach the location from the town of Vernal, Utah; В. proceed generally southwest approximately 14.0 miles on U.S. Highway 40 (a paved U.S. highway), thence generally south approximately 17.0 miles on Utah Highway 88 (a paved state highway) to the community of Ouray, thence generally south approximately 6.9 miles on the Seep Ridge Road (an existing, upgraded Uintah County road), thence generally southeast approximately 3.8 miles on an existing, upgraded oilfield road (crowned & ditched with a gravel surface), thence generally south/southeast approximately 0.7 miles on an existing, upgraded oilfield road (crowned & ditched with a gravel surface), thence generally west approximately 0.6 miles on an existing, upgraded oilfield road (crowned & ditched with a gravel surface), thence generally south/southeast approximately 0.3 miles to the proposed CIGE #138-6-10-21 well location.
 - C. Access roads refer to Maps "A" and "B".
 - D. Access roads within a one (1) mile radius refer to Map "B".
 - E. The existing gravel roads will be maintained in the same or better condition as existed prior to the commencement of operations and said maintenance will continue until final abandonment and reclamation of the CIGE #138-6-10-21 well location.
- 2. Planned Access Roads: Refer to Map "B" (Shown in GREEN)

Approximately 0.3 miles of new road construction will be required for access to the proposed CIGE #138-6-10-21 well location.

- A. Width maximum 30-foot overall right-of-way with an 18-foot road running surface, crowned & ditched.
- B. Construction standard the access road will be constructed in accordance with Bureau of Land Management Roading Guidelines established for oil and gas exploration and development activities as referenced in the BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Third Edition.

Coastal Oil & Gas Corporation CIGE #138-6-10-21 Surface Use & Operations Plan Page 2 Planned Access Roads: Continued 2. Construction standard - the access road will be constructed to meet the standards of the anticipated traffic flow and all-weather requirements and will include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well constructed and safe road. Prior to construction/upgrading, the roadway shall be cleared of any snow cover and allowed to dry completely. Traveling off of the thirty (30) foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or the accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at a frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around them avoided. Maximum grade - 5%. C. Turnouts - turnouts will be constructed along the access route as necessary or required to allow for the safe passage of traffic. None anticipated at this time. E. Drainage design - the access road will be crowned, ditched, and water turnouts installed as necessary to provide for proper drainage along the access road route. Culverts, cuts and fills - no culverts will be required. F. There are no major cuts and/or fills on/along the proposed access road route. Surface materials - any construction materials which may be required for surfacing of the access road will be purchased from a local contractor having a permitted source of materials in the area, if required by the Authorized Officer, Bureau of Land Management. None anticipated at this time. Gates, cattleguards or fence cuts - none required. Η.

2. Planned Access Roads: Continued

- I. Road maintenance during both the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and will be maintained in accordance with the original construction standards. All drainage ditches and culverts will be kept clear and free-flowing, and will also be maintained in accordance with the original construction standards. The access road right-of-way will be kept free of trash during operations.
- J. The proposed access route has been centerline staked.

3. Location of Existing Wells Within a One-Mile Radius:

Please Refer to Map "C"

- A. Water wells none known.
- B. Abandoned wells SWASEA, Section 31, T9S, R21E.
- C. Temp. abandoned wells $NE_{\frac{1}{4}}^{\frac{1}{4}}NW_{\frac{1}{4}}^{\frac{1}{4}}$, Section 5, T10S, R21E.
- D Disposal wells none known.
- E. Drilling wells $SW_{\overline{a}}SW_{\overline{a}}$, Section 5, T10S, R21E (WOC).
- F. Producing wells $NE_{4}^{\frac{1}{4}}SE_{4}^{\frac{1}{4}}$, Section 36, T9S, R20E. $SE_{4}^{\frac{1}{4}}SE_{4}^{\frac{1}{4}}$, Section 1, T10S, R20E. $SE_{4}^{\frac{1}{4}}SE_{4}^{\frac{1}{4}}$, Section 6, T10S, R21E.
 - $NE_{\frac{1}{4}}NW_{\frac{1}{4}}$, Section 6, T10S, R21E.
 - $SE_{\frac{1}{4}}^{\frac{1}{4}}NW_{\frac{1}{4}}^{\frac{1}{4}}$, Section 7, T10S, R21E.
- G. Shut-in wells none known.
- H. Injection wells none known.
- I. Monitoring wells none known.

4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius:

A. Existing

- 1. Tank batteries $NE_{\frac{1}{4}}SE_{\frac{1}{4}}$, Section 31, T9S, R20E. $SE_{\frac{1}{4}}SE_{\frac{1}{4}}$, Section 1, T10S, R21E.
 - $SE_{\overline{4}}SE_{\overline{4}}$, Section 1, 1105, R21E. $SE_{\overline{4}}SE_{\overline{4}}$, Section 6, T10S, R21E.
 - $NE_{\frac{1}{4}}NW_{\frac{1}{4}}$, Section 6, T10S, R21E.
 - $SE_{\frac{1}{4}}NW_{\frac{1}{4}}$, Section 7, T10S, R21E.
- 2. Production facilities same as Item #4A1, above.
- Oil gathering lines none.
- 4. Gas gathering lines same as Item #4A1, above.

4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius:

B. New Facilities Contemplated

1. All production facilities will be located on the disturbed portion of the well pad and at minimum of twenty-five (25) feet from the toe of the backslope or top of the fill slope.

2. The production facilities (consisting primarily of a christmas tree at the well head, dehydration unit, and emergency pit) will require an area approximately 300' X 135'. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via "Sundry Notice" (Form 3160-5) for approval of subsequent installation operations.

3. Production facilities will be accommodated on the existing well pad. Construction materials required for installation of the production facilities will be obtained from the site; any additional materials required will be purchased from a local supplier having a permitted (private) source of materials within the area.

A dike will be constructed completely around those production facilities which contain fluids (i.e. production tanks, produced water tanks and/or heater/treater). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.

4. All permanent (on-site for six months or longer) above-the-ground structures constructed or installed including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Five (5) State Rocky Mountain Interagency Committee.

All production facilities will be painted within six (6) months of installation. Facilities required to comply with Occupational Health and Safety Act Rules and Regulations will be excluded from this painting requirement.

The required paint color is <u>Carlsbad Canyon</u>, Munsell standard color number 2.5Y 6/2.

4. Location of Existing and/or Proposed Facilities Owned by Coastal Oil & Gas Corporation Within a One-Mile Radius:

- B. New Facilities Contemplated Continued
 - 5. If at any time the facilities located on public lands and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), the Bureau of Land Management will process a change in authorization to the appropriate statute). The authorization will be subject to the appropriate rental or other financial obligation as determined by the Authorized Officer.
- C. The production (emergency) pit will be fenced with woven wire mesh topped with one (1) strand of barbed wire held in place with metal side posts and wooden corner "H" braces in order to protect livestock and wildlife. Please refer to Item #9E (page #8) for additional information on the fencing specifications.
- D. During drilling and subsequent operations, all equipment and vehicles will be confined to the access road right-of-way and any additional areas as specified in the approved Application for Permit to Drill.
- E. Reclamation of disturbed areas no longer needed for operations will be accomplished by grading, leveling and seeding as recommended by the Authorized Officer, Bureau of Land Management.

5. Location and Type of Water Supply:

A. Fresh water for drilling will be obtained from an existing water well and reservoir: Uintah #1, owned by Target Trucking, Inc. and located in the SE¼SE¼NE¼ of Section 16, Township 10 South, Range 21 East, Uintah County, Utah; permit #49-991 (A57530).

B. Water will be transported over existing roads via tank truck from the point of diversion to the proposed CIGE #138-6-10-21 well location. No new construction will be required on/along the proposed water haul route. No off-lease/unit Federal lands will be crossed on/along the proposed water haul route.

C. No water well will be drilled on this location.

6. Source of Construction Materials:

- A. Construction materials needed for surfacing of the well pad will be obtained from a local contractor having a permitted (private) source of materials in the area. Refer to Item #2G (page #2) regarding any construction materials which may be required on the access road.
- B. No construction materials will be taken from Federal and/or Indian lands without prior approval from the appropriate Surface Management Agency.
- C. If production is established, any additional construction materials needed for surfacing of the access road and/or installation of production facilities will be purchased from a local supplier having a permitted (private) source of materials in the area.
- D. No new access roads for construction materials will be required.

7. Methods of Handling Waste Materials:

- A. Cuttings the cuttings will be deposited in the reserve/blooie pit.
- B. Drilling fluids including salts and chemicals will be contained in the reserve/blooie pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within ninety (90) days after termination of drilling and completion activities.

In the event adverse weather conditions prevent removal of the fluids from the reserve pit within this time period, an extension may be granted by the Authorized Officer upon receipt of a written request from Coastal Oil & Gas Corporation.

The reserve pit will be constructed so as not to leak, break, or allow discharge.

C. Produced fluids - liquid hydrocarbons produced during completion operations will be placed in test tanks on the location. Produced waste water will be confined to a lined pit (reserve pit) or storage tank for a period not to exceed ninety (90) days after initial production.

7. Methods of Handling Waste Materials: Continued

Produced fluids - during the ninety (90) day period, in accordance with NTL-2B, an application for approval of a permanent disposal method and location, along with the required water analysis, shall be submitted for the Authorized Officer's approval. Failure to file an application within the time frame allowed will be considered an incidence of noncompliance.

Any spills of oil, gas, salt water or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.

- D. Sewage self-contained, chemical toilets will be provided by Rocket Sanitation for human waste disposal. Upon completion of operations, or as needed, the toilet holding tanks will be pumped and the contents thereof disposed of in the nearest, approved, sewage disposal facility.
- E. Garbage and other waste material garbage, trash and other waste materials will be collected in a portable, self-contained and fully-enclosed trash cage during drilling and completion operations. Upon completion of operations (or as needed) the accumulated trash will be disposed of at an authorized sanitary landfill. No trash will be burned on location or placed in the reserve pit.
- F. Immediately after removal of the drilling rig, all debris and other waste materials not contained in the trash cage will be cleaned up and removed from the well location. No adverse materials will be left on the location upon the termination of drilling and completion operations. Any open pits will be fenced during the drilling operation and the fencing will be maintained until such time as the pits are backfilled.

8. Ancillary Facilities:

None anticipated.

9. Wellsite Layout:

A. Figure #1 shows the drill site layout as staked. Cross sections have been drafted to visualize the planned cuts and fills across the location.

9. Wellsite Layout: Continued

- A. A minimum of six (6) inches of topsoil will be stripped from the location (including areas of cut, fill, and/or subsoil storage) and stockpiled for future reclamation of the well site. Refer to Figure #1 for the location of the topsoil and subsoil stockpiles.
- B. Figure #1 is a diagram showing the rig layout. No permanent living facilities are planned. There will be one (1) trailer on location during drilling operations for the toolpusher.
- C. A diagram showing the proposed production facility layout will be submitted to the Authorized Officer via Sundry Notice (Form 3160-5) for approval of subsequent operations. Please refer to Item #4B2 (page #4) for additional information in this regard.
- D. If porous subsoil materials (gravel, scoria, sand, faulted rock structures, etc.) are encountered during reserve pit construction, an impervious liner will be installed in order to prevent drilling water loss through seepage. We do not anticipate the need for a pit liner at this time.
- E. Prior to the commencement of drilling operations, the reserve pit will be fenced "sheep tight" on three (3) sides according to the following minimum standards:
 - 1. 30-inch net wire shall be used with at least one (1) strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).
 - 2. The net wire shall be no more than two (2) inches above the ground. The barbed wire shall be three (3) inches above the net wire. Total height of the fence shall be at least 42 inches.
 - 3. Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.
 - 4. Standard steel, wood, or pipe posts shall be used between the corner braces. maximum distance between any two (2) posts shall be no greater than sixteen (16) feet.
 - 5. All wire shall be stretched, by using a stretching device, before it is attached to the corner posts.

9. Wellsite Layout: Continued

- E. The fourth side of the reserve pit will be fenced immediately upon removal of the drilling rig and the fencing will be maintained until the pit is backfilled.
- F. Any hydrocarbons on the pit will be removed from the pit as soon as possible after drilling operations are completed.

10. Plans for Reclamation of the Surface:

A. Production

- Immediately upon well completion, the well location and surrounding area(s) will be cleared of all debris, materials, trash and junk not required for production.
- 2. Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with 43 CFR 3162.7-1.
- If a plastic or nylon reinforced pit liner is used, it shall be torn and perforated before backfilling of the reserve pit.
- 4. Before any dirt work to restore the location takes place, the reserve pit will be completely dry and all cans, barrels, pipe, etc. will be removed. Other waste and spoil materials will be disposed of immediately upon completion of drilling and workover activities.
- 5. The reserve pit and that portion of the location and access road not needed for production facilities/ operations will be reclaimed within ninety (90) days from the date of well completion, weather permitting.
- 6. For production, the fill slopes will be reduced from a 1.5:1 slope to a 4:1 slope and the cut slopes will be reduced from a 1.5:1 slope to a 4:1 slope by pushing the fill material back up into the cut.

10. Plans for Reclamation of the Surface:

A. Production - Continued

7. Upon completion of backfilling, leveling and recontouring, the stockpiled topsoil will be evenly spread over the reclaimed area(s). Prior to reseeding, all disturbed surfaces (including the access road and location) will be scarified and left with a rough surface. No depressions will be left that would trap water and form ponds. All disturbed surfaces (including the access road and well pad areas) will be reseeded with a seed mixture to be recommended by the Authorized Officer, Bureau of Land Management.

Seed will be drilled on the contour to an approximate depth of one-half (1/2) inch. All seeding will be conducted after September 15 and prior to ground frost.

B. Dry Hole/Abandoned Location

1. At such time as the well is physically plugged and abandoned, Coastal Oil & Gas Corporation will submit a "Subsequent Report of Abandonment" to the Authorized Officer for approval. At that time, the Bureau of Land Management will formulate the appropriate surface rehabilitation requirements and attach them as the conditions of approval for final abandonment.

11. Surface Ownership:

The well site and proposed access road are situated on surface estate which is owned by the United States of America and administered by:

Area Manager Book Cliffs Resource Area Office Bureau of Land Management 170 South 500 East Vernal, Utah 84078 Phone: (801) 789-1362

12. Other Information:

A. General Description of the Project Area: The proposed drill site is located within the Natural Buttes Unit in an area of northeastern Utah and more specifically in an area of moderately to severely eroded uplands located between the White River to the east (and north), the Green River to the west, Cottonwood Wash to the East, Bitter Creek to the southeast, and Willow Creek to the southwest.

This area is classified as a "High Plains Steppe" (Cold Desert) and is characterized by gently to moderately undulated uplands dissected by numerous dendritically-patterned, ephemeral drainages of both the Green and White Rivers. Generally, local flora consists of native grasses such as salt grass, galleta grass, needle-and thread grass, Indian ricegrass; and woody species such as shadscale, horsebrush, black sagebrush, fringe sagebrush, big sagebrush, rabbitbrush, and greasewood along the dry drainages. Local fauna consists of mule deer, antelope, coyotes, rabbits, raptors, and various smaller vertebrate and invertebrate species.

There are no known threatened or endangered species that will be affected by implementation of operations on the proposed CIGE #138-6-10-21 well location.

- B. Surface Use Activities: The primary surface use is for grazing.
- C. Proximity of Water, Occupied Dwellings, Archaeological, Historical or Cultural Sites:
 - 1. The closest source of permanent water is the White River, located approximately 8.0 miles to the north.
 - 2. The closest occupied dwellings are located in the community of Ouray, approximately 12.0 miles to northwest.
 - 3. Coastal Oil & Gas Corporation will be responsible for informing all persons in the area who are associated with this project that they will be subject to prosecution for knowingly disturbing historic or archaeological sites or for collecting artifacts.

12. Other Information:

- C. Proximity of Water, Occupied Dwellings, Archaeological, Historical or Cultural Sites: Continued
 - 3. If historic or archaeological materials are uncovered, Coastal Oil & Gas Corporation will suspend
 all operations that might further disturb such
 materials and immediately contact the Authorized
 Officer.

Within five (5) working days the Authorized Officer will inform Coastal Oil & Gas Corporation as to:

- whether the materials appear eligible for the National Register of Historic Places;
- the mitigation measures the operator will likely have to undertake before the site can be used (assuming in situ preservation is not necessary); and
- a time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If Coastal Oil & Gas Corporation wishes, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials may be required. Otherwise, Coastal Oil & Gas Corporation will be responsible for mitigation costs.

The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that the required mitigation has been completed, Coastal Oil & Gas Corporation will then be allowed to resume construction.

12. Other Information: Continued

- D. Additional Stipulations for Operations on Lands Administered by the Bureau of Land Management:
 - 1. Coastal Oil & Gas Corporation will control noxious weeds along rights-of-way for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the Bureau of Land Management, or the Uintah County Extension Office. On lands administered by the Bureau of Land Management, it is required that a "Pesticide Use Proposal" shall be submitted, and approval obtained, prior to the application of herbicides or other pesticides or possible hazardous chemicals for the control of noxious weeds.
 - 2. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on federal lands after conclusion of drilling operations or at any other time without the proper authorization from the Bureau of Land Management. However, if BLM authorization is obtained, it is only a temporary measure to allow Coastal Oil & Gas Corporation the time to make arrangements for permanent storage at a commercial facility.
 - 3. No construction or drilling activities shall be conducted between May 15 and June 20 in order to protect crucial Antelope kidding areas.
 - 4. An erosion control structure will be constructed in a minor drainage located below (north of) the proposed well pad. The actual location of this erosion control structure will be determined by the Bureau of Land Management at the time of well pad construction.
 - 5. Coastal Oil & Gas Corporation shall contact the Bureau of Land Management between 24 and 48 hours prior to commencement of construction activities on the access road and/or well location: (801) 789-1362.
 - 6. The Bureau of Land Management shall be notified upon site completion and prior to moving drilling tools onto the location.

13. Lessee's or Operator's Representative and Certification:

Representative

Coastal Oil & Gas Corporation Randy L. Bartley, Operations Manager P.O. Box 749 Denver, Colorado 80201-0749 Phone: (303) 572-1121

Heitzman Drill-Site Services*
Dale Heitzman and/or Robert M. Anderson
P.O. Drawer 3579
Casper, Wyoming 82602
Phone: (307) 266-4840

* Contact for any additional information which may be required for approval of this Application for Permit to Drill.

Certification:

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil & Gas Orders, the approved plan of operations, and any applicable Notice to Lessees.

Coastal Oil & Gas Corporation will be fully responsible for the actions of their subcontractors. A complete copy of the approved Application for Permit to Drill will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Coastal Oil & Gas Corporation, its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


13. Lessee's or Operator's Representative and Certification:


<u>Certification</u>: Continued


This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


21 MARZEH 1991

Robert M. Anderson/Authorized Agent











OPERATOR Constal Oil & Was Corp N-0030 DATE 3-09	.91
WELL NAME CTGE 138-10-01	
SEC SENW 6 T 105 R VIE COUNTY WINTER	
43-047-31987 API NUMBER TYPE OF LEASE	
CHECK OFF:	•
PLAT NEA WEL	REST L
LEASE FIELD POT OTL	ASH OR SHALE
Underdin 1991 P.O.O. appended 10.00-90. Water Permit 49-991 (R57530) Margit Muckin Oil Iral. aug	9
	·
APPROVAL LETTER:	٠
SPACING: R615-2-3 Patrual Butter R515-	3-2
CAUSE NO. & DATE R615-	-3-3
STIPULATIONS:	
·	





355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

March 29, 1991

Coastal Oil & Gas Corporation P. O. Box 749 Denver, Colorado 80201-0749

Gentlemen:

Re: <u>CIGE 138-6-10-21 Well, 2057 feet from the North line, 1993 feet from the West line, SE NW, Section 6, Township 10 South, Range 21 East, Uintah County, Utah</u>

Approval to drill the referenced well is hereby granted in accordance with Utah Code Ann. Section 40-6-18, et seq. (1953, as amended), and Utah Admin. R.615-2-3, subject to the following stipulation:

1. Special attention is directed to compliance with Utah Admin. R.6l5-3-34, which prescribes drilling procedures for designated oil shale areas.

In addition, the following actions are necessary to fully comply with this approval:

- 1. Spudding notification within 24 hours after drilling operations commence.
- Submittal of Entity Action Form 6, within five working days following spudding and whenever a change in operations or interests necessitates an entity status change.
- 3. Submittal of the Report of Water Encountered During Drilling, Form 7.
- 4. Prompt notification in the event it is necessary to plug and abandon the well. Notify R. J. Firth, Associate Director, (Office) (80l) 538-5340, (Home) 571-6068, or J. L. Thompson, Lead Inspector, (Home) 298-9318.
- 5. Compliance with the requirements of Utah Admin. R.6l5-3-20, Gas Flaring or Venting.

Page 2 Coastal Oil & Gas Corporation CIGE 138-6-10-21 March 29, 1991

- 6. Prior to commencement of the proposed drilling operations, plans for facilities for disposal of sanitary wastes at the drill site shall be submitted to the local health department. These drilling operations and any subsequent well operations must be conducted in accordance with applicable state and local health department regulations. A list of local health departments and copies of applicable regulations are available from the Division of Environmental Health, Bureau of Drinking Water/Sanitation, telephone (80) 538-6159.
- 7. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-047-31987.

Sincerely,

Associate Director, Oil & Gas

tas

Enclosures

cc: Bureau of Land Management

J. L. Thompson

we14/1-8

Form 3160-3 (November 1983) (fo. .y 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRECATE*
(Other instructure s on reverse side)

Form approved. Budget Bureau No. 1004-0136 Expires August 31, 1985

DEPARTMENT OF THE INTERIOR 5.					5. LEASE DESIGNATION AND SERIAL NO.	
BUREAU OF LAND MANAGEMENT					UTU-01791	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK					6. IF INDIAN, ALLOTTES OR TRIBE NAME	
Not Applicable					Not Applicable	
		DEEPEN		PLUG BAC	K 🗆	7. UNIT AGREEMENT NAME
b. TYPE OF WELL						Natural Buttes
WELL W	ELL OTHER			ONE X MULTIPE		8. FARM OR LEASE NAME
2. NAME OF OPERATOR						CIGE
	& Gas Corporat	ion				9. WELL NO.
3. ADDRESS OF OPERATOR	40 D 0-1	04	0001	0740		138-6-10-21 10. FIELD AND POOL, OR WILDCAT
P. U. BOX / 4. LOCATION OF WELL (R At surface	49, Denver, Col	orado 80 in accordance wi	th any S	U/49 State requirements.*)	<u> </u>	Natural Buttes
2057' FNL.	1993' FWL (SE&N	W⅓) Section	n 6,	T10S, R21E	a	11. SEC., T., E., M., OR BLE. AND SURVEY OR AREA
At proposed prod. son	ie .		112	numaison d	ul	Soction 6 Tios Date
Same As Abo	AND DIRECTION FROM NEA	REST TOWN OR POS	T OFFIC	047-31987		Section 6, T10S, R21E 12. COUNTY OR PARISH 13. STATE
			heast	of Ouray, Utah	<u> </u>	Uintah Utah
15. DISTANCE FROM PROPO LOCATION TO NEARES!	r			O. OF ACRES IN LEASE	17. NO. C	OF ACRES ASSIGNED HIS WELL
PROPERTY OR LEASE I (Also to nearest drig	LINE, FT. g. unit line, if any)	1993'	1	2163.61		80
18. DISTANCE FROM PROF TO NEAREST WELL, D	RILLING, COMPLETED,	0407 171	1	ROPOSED DEPTH	20. ROTA	RY OR CABLE TOOLS
OR APPLIED FOR, ON TH		2487.17'±	<u> </u>	6000'	<u> </u>	Rotary
21. ELEVATIONS (Show who 4967 GR	ether DF, RT, GR, etc.)					April 20, 1991
4907 GR				No.	·	April 20, 1991
(A	LL NEW)	PROPOSED CAS	ING ANI	D CEMENTING PROGRAM	1	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F		SETTING DEPTH		QUANTITY OF CEMENT
12-1/4"	8-5/8" K-55	24.0#		0- 250'		x Circ. to Surface *
<u>7-7/8"</u>	5-1/2" K-55	17.0#		0-6000'	<u>545 s</u> :	x Circ. to Surface *
						65 25 26 27
* Comont v	olumoc may chan	ao due to l	nol o	ciza		19 26 26 27 28 30 1 CO
* Cement volumes may change due to hole size. Calculate from Caliper log.						
Carculate from Carriper rog.						
EIGHT-POINT	RESOURCE PROTE	CTION PLAN	ATTA	CHED.		8 NAR 198
I hereby certify that Coastal Oil & Gas Corporation is authorized by the proper Lease						
Interest Owners to conduct lease operations associated with this Application for						
Permit to Drill the CIGE #138-6-10-21, Federal Lease # UTU-01791. Bond coverage pursuant to 43 CFR 3104 for lease activities is being provided by Coastal Oil & Gas						
pursuant to	43 CFR 3104 TO	r lease ac	[] V] [nes is being pro	ovided	by coastal ull a das
Corporation	, Nationwide Bo	nd # CU-UU.	to, w	ion of the loss	0112101	e for compliance with ciated with this
Application		iis or that	port	TOIL OF THE LEGS!	e asso	Claced with this
Application						
IN ABOVE SPACE DESCRIBE	PROPOSED PROGRAM: If	proposal is to deep	pen or p	olug back, give data on pr	esent prod	uctive sone and proposed new productive
zone. If proposal is to preventer program, if an		illy, give pertinen	t data o	on subsurface locations and	d measured	I and true vertical depths. Give blowout
24.	0 - 04	/				
Char	V. > VIII	درمدادمیسط	Di	strict Drilling	Manag	er March 19, 1991
signer Charle	S.E. Mowry	TO THE	rle			DATE
(This space for Fede	ral or State office use)	•				
PERMIT NO.				APPROVAL DATE		
1	11/11	P		ASSISTANT DISTRICT	•	11.101
APPROVED BY	and & Slave	TH	rle	MANAGER MINERAL	S	
CONDITIONS OF APPROV	CONDITIONS OF APPROVAL, IF ANY:					
~~		.		CONDITIO	NS OF	APPROVAL ATTACHED
NOTICE	OF APPROVA	L				ATOR'S COPY

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Diu OG+M

Revised November 1990 Date NOS Received: February 22, 1991

CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company/Operator:		Coastal Oil & Gas Corp.
Well Name & Number:		CIGE 138-6-10-21
Lease Number:		U-01791
Location:	SENW	Sec. 6 T. 10 S R. 21 E
Surface Owner	ship:	BLM
•		
		NOTIFICATION REQUIREMENTS
Location Constructi	on –	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion	-	prior to moving on the drilling rig.
Spud Notice	-	at least twenty-four (24) hours prior to spudding the well
Casing String and Cementing	-	at least twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related Equipment Tests	-	at least twenty-four (24) hours prior to initiating pressure tests.
First Production Notice	-	within five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

REGENVEU

DIVISION OF OIL GAS & MINING Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to Tim Ingwell of this office. Copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

As a minimum, the other resources shall be isolated and/or protected by having a cement top for the production casing at least 200 feet above the top of the Mahogany oil shale, identified at \pm 2250 feet.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the Authorized Officer. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the Authorized Officer (AO).

A cement bond log (CBL) shall be utilized to determine the top of cement (TOC) for the production casing.

6. Notifications of Operations

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells, as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated, or the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of thirty (30) days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the AO. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

All site security regulations, as specified in Onshore Oil and Gas Order No. 3, shall be adhered to.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling onlease or off-lease will have prior written approval from the AO.

Gas meter runs for each well will be located within 500 feet of the wellhead. The gas flowline will be buried or anchored down from the wellhead to the meter and 500 feet downstream of the meter run or any production facilities. Meter runs will be housed and/or fenced.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted monthly for the first three months on new meter installations and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, please contact one of the following individuals:

Gerald E. Kenczka Petroleum Engineer	(801) 781-1190
Ed Forsman Petroleum Engineer	(801) 789-7077
BLM FAX Machine	(801) 789-3634

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous:

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents. spilled chemicals, and waste acids.

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt wastes.

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation, and miscellaneous solids

B. THIRTEEN POINT SURFACE USE PROGRAM:

1. Well Site LayoutFencing Requirements

Fencing Requirements

All pits will be fenced according to the following minimum standards:

a. 39-inch net wire shall be used with at least one strand of barbed wire on top of the net wire (barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence).

DIVISION OF OIL, GAS AND MINING

WATER PERMIT OK

SPUDDING INFORMATION

API NO. 43-047-31987

NAME OF COMPANY:COASTA	AL OIL & GAS CO	RPORATION-	
WELL NAME: cige 1	13 ⁸ -6-10-21		
SECTION_SENW 6 TOWNSHIP	10s RANGE	21E	COUNTY UINTAH
DRILLING CONTRACTOR LEON	ROSS		
RIG #	•	•	•
SPUDDED: DATE 5/3/91	•		
TIME 9:30 a.m.	••		
HOW_DRY			
DRILLING WILL COMMENCE 5/8/9	01 COASTAL #2	•	
LRILLING WILL COMMENCE	7. 00	•••·.	4.
REPORTED BY CAROL K.			
TELEPHONE # VERNAL		-	
TELLITIONE II	•		
	·		•
	·		
DATE 5/6/91	•	_SIGNED_	TAS

FLARE PIT

N

STATE OF UTAH DIVISION OF OIL, GAS & MINING DRILLING INSPECTION FORM

COMPANY: COASTAL OIL & GAS REPRESENTATIVE: LARRY TAVEGIA WELL NAME: CIGE 138-6-10-21 API #: 43-047-31987 TWP: 10 SOUTH RANGE: 21 EAST QTR QTR: SENW SECTION: 06 TOOL PUSHER: LEON ROSS CONTRACTOR: LEON ROSS AIR DRILLING TIME: 01:30 PM DATE: 05/10/91 INSPECTOR: CAROL KUBLY OPERATIONS: BACK-FILLING HOLE DEPTH: DEPTH: T.D DATE: SPUD DATE: AIR: 05/03/91 RIG: ______ N WELL SIGN N SANITATION Y APD BLOOIE LINE N H2S POTENTIAL N BOPE LATEST D.S. HOUSEKEEPING N BURN PIT DEPTH @

LINED PLASTIC N LINES RUN
BENTONITE

N/A COMPLIANCE WITH PRESITE STIPULATIONS (IF NO, EXPLAIN BELOW).

LEGEND: (Y) - YES (N) - NO (P) - PROBLEM (N/A) - NOT APPLICABLE

Y

RESERVE PIT

FENCED

REMARKS: BACKFILLING HOLE. DRILLED WITH AIR RIG TO 215' AND HIT A SMALL AMOUNT OF WATER. WENT TO AIR MIST. WHEN DRILLING COMMENCED, WASHED OUT A CAVITY AND THE HOLE FELL IN SO PULLED BIT. THERE WAS A 6" WIDE GILSONITE STRINGER ABOUT 1' OFF TO THE SIDE OF THE HOLE. MOVED AIR RIG 10' WEST AND DRILLED TO 140'. THEY THOUGHT THE BIT LOCKED UP BUT IT WAS OK. HAD RE-ENTERED THE GILSONITE VEIN. BIT FOLLOWED THE GILSONITE FRACTURE RESULTING IN A CROOKED HOLE. THEY DECIDED TO CANCEL THAT LOCATION. FILLED HOLE W/ DIRT. WILL REHAB LOCATION SOON.



State of Utah

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Norman H. Bangerter Governor Dee C. Hansen Executive Director Dianne R. Nielson, Ph.D. Division Director

355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340

July 16, 1991

Ms. Eileen Danni Dey Coastal Oil & Gas Corporation P. O. Box 749 Denver, Colorado 80201-0749

Dear Ms. Dey:

Re: Request for Completed Entity Action Form

CIGE 138-6-10-21 - SENW Sec. 6, T. 10S, R. 21E - Uintah County, Utah

This is written to remind you that all well operators are responsible for sending an Entity Action Form to the Division of Oil, Gas and Mining within five working days of spudding a new well. This office was notified that your company spudded the CIGE 138-6-10-21, API Number 43-047-31987, on May 3, 1991. At this time, we have not received an Entity Action Form for this well.

Please review the instructions on the back of the enclosed form. Make sure you choose the proper Action Code to show whether the well will be a <u>single well</u> with its own sales facilities (Code A), a well being added to an existing group of wells having the same tank battery and common division of royalty interest (Code B - show existing Entity Number to which well should be added), or a well being drilled in the <u>participating area of a properly designated unit</u> (Code B). Complete the form and return it to us by August 2, 1991.

Your attention to this matter is appreciated. If we can be of assistance to you, please feel free to call Lisha Romero at the above number.

Sincerely,

Don Staley

Administrative Supervisor

lcr Enclosure

cc: R. J. Firth

Well File

Correspondence File/Idc

WE66/18

an equal opportunity employer

Form 3160-5 (December 1989)

Subsequent Report

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: September 30, 1990

BUREAU OF	Lease Designation and Serial No.	
	UTU-01791	
SUNDRY NOTICES	6. If Indian, Allottee or Tribe Name	
	rill or to deepen or reentry to a different reservoir.	
Use "APPLICATION FO	PR PERMIT—" for such proposals	Not Applicable
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation
CODIVIT		<u> </u>
. Type of Well		Natural Buttes
Oil Gas Other		8. Well Name and No.
. Name of Operator		CIGE #138-6-10-21
Coastal Oil & Gas Corporat	ion	9. API Well No.
. Address and Telephone No.	and the second s	43-047-31987
P. O. Box 749, Denver, CO	80201-0749; Phone: (303) 572-1121	10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey D		Natural Buttes
		11. County or Parish, State
2449' FNL, 1892' FWL (SE ₄ N	₩⅓) Section 6. T10S. R21E	1
(000)		Uintah County, Utah
CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent	Abandonment	Change of Plans
	n n	Now Construction

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Plugging Back Casing Repair

Altering Casing

Coastal Oil & Gas Corporation respectfully requ number of the above-referenced well from CIGE # This action is necessary to differentiate this location from the original location which was s of Section 6, Township 10 South, Range 21 East. abandoned after the hole collapsed during drill drilling into a gilsonite vein. Your kind cons will be appreciated.

JUL 2 5 1991

DIVISION OF OIL GAS & MINING

change the E #138A-6-10-21. ment well ., 1993' FWL cation was a result of

Non-Routine Fracturing

Water Shut-Off Conversion to Injection

Change Well Number

D for 138A) was approved 7/20/91 (API = 43-047-32049)

14. I hereby certify that the foregoing is true and correct				
Signed Robert M Anderson	Title	Authorized Agent	Date _	July 19, 1991
(This space for Federal or State office use)		`	-	
Approved by Conditions of approval, if any:	Title		Date _	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5

UNITED STATES

FORM APPROVED

DEPARTM	ENT OF THE INTERIOR	Expires: September 30, 1990
BUREAU C	F LAND MANAGEMENT	5. Lease Designation and Serial No.
		UTU-01791
	ES AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
	drill or to deepen or reentry to a different reservoir.	
Use "APPLICATION	FOR PERMIT—" for such proposals	Not Applicable
CUDA	MIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation
SUBI	WIT IN TRIFLICATE	
1. Type of Well		Natural Buttes
Oil Gas Other		8. Well Name and No.
2. Name of Operator		CIGE #138-6-10-21
Coastal Oil & Gas Corpor	ation	9. API Well No.
3. Address and Telephone No.		43.047-31987
P. O. Box 749, Denver, C	0 80201-0749; Phone: (303) 572-1121	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Surve	ey Description)	Natural Buttes
		11. County or Parish, State
2449' FNL, 1892' FWL (SE	åNWå) Section 6, T1OS, R21E	
		Uintah County, Utah
2. CHECK APPROPRIATE BO	DX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Change We	11 Number of multiple completion on Well Completion or
	Recompletion Report a	and Log form.)
3. Describe Proposed or Completed Operations (Clearly str	ate all pertinent details, and give pertinent dates, including estimated date of startin	g any proposed work. If well is directionally drilled,
give subsurface locations and measured and true	vertical depths for all markers and zones pertinent to this work.)*	

Coastal Oil & Gas Corporation respectfully requests permission to change the number of the above-referenced well from CIGE #138-6-10-21 to CIGE #138A-6-10-21. This action is necessary to differentiate this particular replacement well location from the original location which was staked at 2057' FNL, 1993' FWL of Section 6, Township 10 South, Range 21 East. This original location was abandoned after the hole collapsed during drilling operations as a result of drilling into a gilsonite vein. Your kind consideration of this request will be appreciated.

JUL 2 5 1991

DIVISION OF OIL GAS & MINING New APD for 138A (rig skin) was approved 7/20/91 (API = 43-047-32049)

14. I hereby certify that the foregoing is true and correct Signed Report M. Andorson	Title	Authorized Agent	Date July 19, 1991
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title		Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR



[JUL 2 5 1991

FORM APPROVED

Budget Bureau No. 1004-0135

BUREAU OF	LAND MANAGEMENT	Expires: March 31, 1993
	DIMORNA	5. Lease Designation and Serial No.
SUNDRY NOTICES	S AND REPORTS ON WELLS OIL GAS & M	OF UTU-01791
Do not use this form for proposals to	arill or to deepen or reentry to a different reser	NNG 6. If Indian, Allottee or Tribe Name
Use "APPLICATION FO	OR PERMIT—" for such proposals	voir.
	- Tot Such proposals	N/A
SUBMI	IT IN TRIPLICATE	7. If Unit or CA. Agreement Designation
Type or Well Oil Gas		Natural Buttes
Oil X Welt Other	·	8. Well Name and No.
2. Name or Operator		CIGE #138-6-10-21
Coastal Oil & Gas Corporation	n	9. API Well No.
3. Address and Telephone No.		43-047-31987
P. O. Box 749, Denver, Colora	ado 80201-0749 (303) 573-4476	10. Field and Pool, or Exploratory Area
Location of Well (Footage, Sec., T., R., M., or Survey	Description)	
2057' FNL & 1993' FWL (SENW)		Natural Buttes
Section 6, T10S-R21E		The County of Falling State
		Hintah County Htah
CHECK ADDROSSIATE TO	// TO MICHOLOGIC	Uintah County, Utah
- CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE. R	EPORT. OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	
	TIPE OF AC	TION
Notice of intent	Abandonment	Change of Plans
: V I	Recompieuos	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fractures
· · · · · · · · · · · · · · · · · · ·	Casing Repeat	Weter Shut-Off
Final Abandonment Nonce	Altering Casing	Conversion to injection
	Other Report of spud	
	Other Report of spud	Dispose Water (Note: Aspon results of multiple competition on Well
Describe Proposes or Completes Operations (Clearly state)	III pertunent despite and company	Dispose Water (Note: Report results of multiple compension on Well
Describe Proposed or Completed Operations (Clearly state of give subsurface locations and measured and true vertice)	Other Report of spud	Dispose Water (Note: Report resums of multiple competition on Well
	all pertinent details, and give pertinent dates, including estimated date of ical depths for all markers and zones pertinent to this work.1"	Dispose Water (Note: Report resum of multiple committee on Well Completion or Recommittee Report and Log form,) starting any proposed work. If well is directionally drille
MIRU Leon Ross Drilling. Spud	all pertinent details, and give pertinent dates, including estimated date of size depths for all markers and zones pertinent to this work.1° I surface hole 5/3/91, Drilled 12-1/	Dispose Water (Note: Report return of muniplecomputation on Well Computation of Recomputation Assert and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251". Hit
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1	all pertinent details, and give pertinent dates, including estimated date of size depths for all markers and zones pertinent to this work." 1 surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertinent details, and give pertinent dates, including estimated date of size depths for all markers and zones pertinent to this work." 1 surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein.	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs,	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs,	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs,	all pertinent details, and give pertinent dates, including estimated date of iteal depths for all markers and zones pertinent to this work." I surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc pull fluid down. RD w/l truck.	Dispose Water (Note: Reponitives of muniple compenses on Well Completion or Accompanies Reserved and Log form.) starting any proposes work. If well as directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to k. Run dump bailer to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found 1 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs, 4. I hereov cerum fast upe roregoing is file and correct Signer Files Hammal May	all pertunent details, and give pertunent dates, including estimated date of iteal depths for all markers and zones pertunent to this work." I surface hole 5/3/91. Drilled 12-1/. O'' Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc	Dispose Water (Note: Aspon returns of multiple compenses on Well Completion or Accompanies Aspon and Log form.) starting any proposed work. If well is directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found I 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs, 4. Thereoverrung fast the offeegoing is five and correct Signed Floop Hampi May (This space for Federal or State Office use)	all pertinent details, and give pertinent dates, including estimated date of iteal depths for all markers and zones pertinent to this work." I surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc pull fluid down. RD w/l truck.	Dispose Water (Note: Reponitives of muniple compenses on Well Completion or Accompanies Reserved and Log form.) starting any proposes work. If well as directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to k. Run dump bailer to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found I 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs, 4. Thereov certify that the offregoing is file and correct Signer Figure 1200 Hamma Love (This space for Federal or State Office use)	all pertinent details, and give pertinent dates, including estimated date of iteal depths for all markers and zones pertinent to this work." I surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc pull fluid down. RD w/l truck.	Dispose Water (Note: Reponitives of muniple compenses on Well Completion or Accompanies Reserved and Log form.) starting any proposes work. If well as directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to k. Run dump bailer to
MIRU Leon Ross Drilling. Spud H ₂ O, hole washed out. Found I 140', back in Gilsonite vein. 140', FL 110'. Make 25 runs, 4. Thereoverrung fast the offeegoing is five and correct Signed Floop Hampi May (This space for Federal or State Office use)	all pertinent details, and give pertinent dates, including estimated date of iteal depths for all markers and zones pertinent to this work." I surface hole 5/3/91. Drilled 12-1/.0" Gilsonite vein. Move rig 10'. Dr RD, move rig off. RU wireline truc pull fluid down. RD w/1 truck. Tide Regulatory Analyst	Dispose Water [Note: Reponsition of multiple compension on Well Completion or Accompanies Accompanies and Log form.) Starting any proposed work. If well as directionally drille 4" hole to 251'. Hit illed 12-1/4" hole to k. Run dump bailer to

OF PETPENERSHORE AS 40 ANY MARKET WITHIN HE REFERENCEDOR.

Title 18 U.S.C. Section 1001, makes a a crime for any person knowingly and willfully to make so any department or agency or the United States any table, dictinous or trans

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM - FORM 6

OPERATOR <u>Coastal Oil & Gas Corporation</u>

OPERATOR ACCT. NO. NO330

ADDRESS ____P. O. Box 749

Denver, Colorado 80201-0749

ACTION CODE	CURRENT FNILLY NO	NEW ENTITY NO.	API NUMBER	WELL NAME				WELL	LOCATIO	N	SPUD	EFFECTIV
	ZXXIII NO.	LIVITI NO.				QQ	SC	ŢΡ	RG	COUNTY	DATE	DATE
В	2900 —	7	43-047-31987	CIGE #138-6-10-21	S	ENW	6	108	21E	Uintah	5/3/91	5/3/9
WELL 1 C	OMMENTS:	FOR CIG	EXPLORATION	Federal-Lease Field-Natural Buttes Unit-Natural Buttes	Prop.Za	me-	- WST	ċ				
В	2900	>	43-047-32003	NBU #154	N	WSE	26	9S	21E	Uintah	7/8/91	7/8/91
WELL 2 CI	OMMENTS:	.		State-Lease Freld-Natural Buttes Unit-Natural Buttes	Prop. a	Zone	2-WS	TC			1	1 770751
		·										
					· 1							
IELL 4 CO	DMMENTS:				<u> </u>							
ELL 5 CO	MMENTS:				<u>-</u>			!				······································
										_		
					71. ***							

new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

JUL 2 5 1991

DIVISION OF OIL GAS & MINING (Signature Eileen Danni Dey

Regulatory Analyst 7/22/91 Title

Date

Phone No. (303) 573-4476

(3/89)

Rou	Well File (168 138-0-00) [] Suspense (Return Date) (To - Initials) (API No.) NO (NA-31987)	
1.	Date of Phone Call: 1-14-98 Time: 10.00 AM	
2.	DOGM Employee (name) Doba Catchel (Initiated Call M) Talked to: Name Clon Day (Initiated Call []) - Phone No. (303) 5 + 0 - 1 of (Company/Organization) Castal Ole GAS Corp.	12
3.	Topic of Conversation: Wating for WCR Eileen Sald this Well was not really Drilled-Waiting From BLM TO Cement & PA, Then Eileen Will Sench	N
4.	Highlights of Conversation:	

Form 3160-5 UN (June 1990) DEPARTME BUREAU OF	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 5. Lease Designation and Serial No.	
Do not use this form for proposals to o	S AND REPORTS ON WELLS Irill or to deepen or reentry to a different reservoir.	UTU-01791
Use "APPLICATION FO	DR PERMIT—' for such proposals	N/A 7. If Unit or CA, Agreement Designation
	T IN TRIPLICATE	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
1. Type of Well Oil Gas Well Other		Natural Buttes Unit 8. Well Name and No.
2. Name of Operator		CIGE #138-6-10-21
Coastal Oil & Gas Corporation 3. Address and Telephone No.	1	9. API Well No.
•		43-047-31987
P. O. Box 749 Denver Location of Well (Footage, Sec., T., R., M., or Survey)	CO 80201-0749 (303) 573-4476	10. Field and Pool, or Exploratory Area
2057' FNL & 1993' FWL (SE/NW)		Natural Buttes 11. County or Parish, State
Section 6, TlOS-R21E		11. County or Parish, State
		Uintah County, Utah
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	
TYPE OF SUBMISSION	TYPE OF ACTION	
X Notice of Intent	X Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	Dispose Water
		(Note: Report results of multiple completion on Well
13. Describe Proposed or Completed Operations (Clearly state a	ill pertinent details, and give pertinent dates, including estimated date of starting	gany proposed work. If well is directionally drilled,
The above referenced location	will be reclaimed by installing a 20'	x 20' cement slab
	irst two surface holes drilled. (The	
previously filled with dirt.)	A metal plate inscribed with well na	me, legal description
	alled on the cement slab. A fence wil	.1 be constructed
per BLM specifications surrou	nding the cement slab.	
	DESCRIBE ON THE STATE.	DECENTED
i de la companya de	MIL GAS, AND MINING	JAN 3 1 1900
12 4.2.C.	1 3-97	

DIVISION OF OIL GAS & MINING

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-4 (November 1983) (formerly 9-330)

UNITED STATES

SUBMIT IN DUPLICATE.

DEPARTMENT OF THE INTERIOR

(See other instructions on reverse side)

Form approved. Budget Bureau No. 1004-0137 Expires August 31, 1985

		BUR	EAU OF LA	ND MAN	AGEME	ENT		reverse		U-01791	ALION AND BERIAL NO
WELL CO	OMPLE	TION	OR RECO	MPLET	ION	REPORT	AN	D LOG	* 6. IF	INDIAN, AL	LOTTEE OR TRIBE NAM
1a. TYPE OF WI	ELL:	OIL WELL	WELL.	2					N/.	A GREENI	
b. TYPE OF CO	MPLETIO	_	WELL C	ا	DRY L	Other			- 1		
WELL X	WORK	DEEP-	PITG	Pil	VR.	041				tural E	Suttes Unit
2. NAME OF OPER			BACK		CVR.	Other			_		
Coastal C)il & G	as Cor	oration			ء المعرفو ريادها	T. # 11-	Y.	CI	GE ELL NO.	
3. ADDRESS OF US						10) 5 (1	2 2				
P. O. Box	749		Denver, (CO 80:	201-0	749	3∪3 <i>)</i> ≎********	573-44	76 10 7	3-6-10-	OOL OR WILDCAT
4. LOCATION OF W	ELL (Repo	rt location	clearly and in	accordanc	e with a	ny State reas	iremen.	212- 2 #	, N-		
At surface	2057'	FNL &	1993' FWI	L (SE/	WV)	MA:	₹04	[၂၉၁၅		tural B	ULTES
At too mod to				-	•		•			K AREA	., OR BLOCK AND BURNE
At top prod. is	mtervat tel	ported belot	Same a	as abo	ve.	na	'ISION	ine			
At total depth	Same	as abo	ve.						Sec	ction 6	, T10S-R21E
				14. PI	BMIT NO	<u> </u>	DATE	MINING	12. c	OUNTY OR	13. STATE
				43-0)4 7- 3]	1997	ء ا	/20/01	P	ARISH	
5. DATE SPUDDED	16. DA	TE T.D. REA	CHED 17. DAT	LE SONET				/29/91		intah	Utah
5/3/91	5	/3/91	Pr	ZL-Oxid	イイベイン	A				TC. 10	(22,
O. TOTAL DEPTH, MI			BACK TAN HD &	TV0 22	2.1 IF MU	VAY DAREL		1967' GF		RY TOOLS	CABLE TOOLS
251'					How 3	HANY®		DRILLE	D BY		1
4. PRODUCING INT	ERVAL(8).	OF THIS CO	MPLETION-TO	P. BOTTOM	NAME (MD AND TWO		<u> </u>	Sr	C-TD	25. WAS DISECTIONAL
Well was	drille	d to 25	1', hit w	ater,	moved	to new	loca	ation -		-	SURVEY MADE
CIGE #138.										ì	No
S. TYPE ELECTRIC	AND OTHE	n toca au									
. IIFE EDDCIRIC	AND OTHE	ER LOGS RU								27.	WAS WELL CORED
			None								No
l.					ORD (Re	port all strin	gs set is	weil)			
CABING BIZE	WEIG	RT. LB./FT	DEPTH BE	CT (MD)	но	I.E SIZE		CENE	TING RECORD		AMOUNT PULLED
N/A											
							-				
											-
		LI	NER RECORD					30.	TUBING	RECORD	
BIZE	TOP ()	4D) B	OTTOM (MD)	BACKS C	EMENT*	SCREEN (MD)	SIZE	perth :	SET (MD)	PACKER SET (MD)
_				·				N/A			_
									-		
. PERFORATION RI	corp (Int	erval, size	and number)			1 22.	AC	D. SHOT. F	RACTURE C	EMENT SC	UEEZE, ETC.
N/A						DEPTH II					MATERIAL USED
N/ A									ANOCALA	- KIND OF	
	÷ ,						N/A				
						 		 -			
						ļ		_			
•					22.0						
TE FIRST PRODUCT	TION	PRODUCT	TON METHOD (Floreige e		DUCTION					rus (Producing or
N/A				N/A	··/·, p		. eng 1)	pe of pump;	' I	shut-in)	
TE OF TEST	(Notice	TESTED									P&A'd
			CHOKE SIZE		FERIOD	OIL-BEL.		GAR-MCF.	WATE	R—BBL.	UAB-OIL BATIO
N/A	1								ĺ		
W. TUBING PRING.	CABING	PRESSURE	CALCULATED 24-HOUR RAT	B 1	BB1	GAB-	-MCF.	W	ATERHBL.	OIL	GRAVITY-API (CORR.)
-	1										
DISPOSITION OF	OAS (Bold,	used for fu	ti, vented, etc.)					·-····································	TEST	MITHERED	BT
N/A									- 1		•
LIST OF ATTACH											
Comment			slab was								
I hereby certify	thethe	foregoing !	nd attached is	formation	is comp	lete and cor.	reet as	determined	from all avai	lable record	10
	(sill	mn 1	bellini	A bear							
SIGNED	4 HI 1 DO	n Dann	evicu p	Leffer.	rle	кедиLat	ory	Analyst		DATE _2	/28/92

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPRO	OVED
Budget Bureau No.	1004-0135
Expires: March	31, 1993

	Expires:	March	31, 199)3	
Lease	Designati	on and	Serial	No.	

BUREAU OF LAND MANAGEMENT UTU-01791 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE I. Type of Well Natural Buttes Unit X Gas 8. Well Name and No. 2. Name of Operator CIGE #138-6-10-21 Coastal Oil & Gas Corporation 9. API Well No. 3. Address and Telephone No. 43-047-31987 (303) 573-4476 P. O. Box 749 Denver, CO 80201-0749 10. Field and Pool, or Exploratory Area 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Natural Buttes 2057' FNL & 1993' FWL (SE/NW) 11. County or Parish, State Section 6, TlOS-R21E Uintah County, Utah CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction X Subsequent Report Non-Routine Fracturing Plugging Back Casing Repair Water Shut-Off Final Abandonment Notice Conversion to Injection Altering Casing Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The above referenced location was reclaimed on 2/27/92. A 20' x 20' x 4" cement slab reinforced w/rebar was installed over the first two surface holes. (The holes were previously filled with dirt.) A dry hole marker was installed per BLM specifications. A fence was also installed surrounding the cement slab per BLM requirements.

DIVISION OF OIL GAS & MINING

14. I hereby certify that the toregoing is fue and correct Signed	Title	Regulatory Analyst	Date 2/28/92
(This space for Federal or State office use)			
Approved by	Tide		Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

1. Type of Well

Oil Well

12

2. Name of Operator

3. Address and Telephone No.

X Gas

Coastal Oil & Gas Corporation

TYPE OF SUBMISSION

X Notice of Intent

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

See Attached List 6. If Indian, Allottee or Tribe Name

DIVISION OF

SUNDRY NOTICES AND REPORTS ON WELLS IL GAS & MINING Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

See Attached List 7. If Unit or CA, Agreement Designation Natural Buttes Unit 8. Well Name and No. See Attached List 9. API Weil No. See Attached List 10. Field and Pool, or Exploratory Area

P. O. Box 749 Denver, CO 80201-0749 (303) 573-4476 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

TYPE OF ACTION

Natural Buttes

Change of Plans

New Construction

11. County or Parish, State

See Attached List

Uintah County, Utah CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE. REPORT, OR OTHER DATA

Subsequent Report	Plugging Back	Non-Routine Fracturing
· · · · · · · · · · · · · · · · · · ·	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
· ·	X Other NTL 2B; IV	Dispose Water
		(Note: Report results or multiple completion on Well
	`	Completion or Recompletion Report and Log form I

Abandonment

Recompletion


13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Coastal Oil & Gas Corporation hereby requests permission to dispose of produced water in unlined pits per NTL-2B, IV, for the subject wells.

- 1) These wells are completed in the Wasatch formation and produce less than 5 barrels of water per day on a monthly basis.
- Two unlined pits per location will be used due to the size and layout of the locations: 40' x 40' x 8' and 6' x 6' x 6' deep with berms surrounding them. Each pit will be fenced and will have cement corner posts per BLM specifications. (See the attached typical facilities diagram.)
- 3) The average evaporation rate for the area compensated for annual rainfall is 70" per year.
- 4) The estimated percolation rate based on the soil characteristics under and adjacent to the pits is 2-6" per hour.
- 5) The depth of usable water aguifers in this area is approximately 1500'.

. I hereby certify that the foregoing is/true and correct		
a AMOM (BAIM) (COS		Regulatory Analyst 4/14/92
Signed Files Danni Davi	Title	Regulatory Analyst 4/14/92 Accepted by the State
(This space for Federal or State office use)		
		of Utah Division of
Approved by	Title	
Conditions of approval, if any:		Oll, Gas and Mining
		Date: 4-29-92-
		Date: 7 - 2 / 2 / 2

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the finited State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. or representations as to any matter within its jurisdiction.



	WELL #	QUAD		TION	RGE	STATE OR BLM LEASE #	SURFACE	API NUMBER
иви	#103	SENW	10	9	21	U-0141315	UTE	43-047-31956
	#104	SENE	16	9	21	ST ML-3282	UTE	43-047-31957
	#105 #106	SWSW	17	9	21	U-0575	UTE	43-047-31955
	#107 *********	NESW SENW	21 26	9	21 21	U-0576	UTE	43-047-31946
	#108	SESE	19	9	22	ST ML-01194 U-0284	STATE UTE	43-047-31916 43-047-31958
NBU	#109	SENE	27	9	21	ST U-01194-A	STATE	43-047-31917
	#110	NENE	28	9	21	U-0576	FED.	43-047-31924
	#111	SWNW	25	9	21	ST U-01194	STATE	43-047-31920
	#112 #113	SESE SESE	33 34	9 9	22 22	U-01191	FED.	43-047-31930
	#114	SWSW	5	10	21	U-0149077 U-01393-D	FED. FED.	43-047-31931 43-047-31923
NBU	#115	NENW	10	10	21	U-0149079	FED.	43-047-31929
	#116	NWNW	6	10	22	U-464	FED.	43-047-31925
	#117 ******	NENE	10	10	22	ST UT-01197-A	STATE	43-047-31914
	#118 #119	SENE SENW	22 22	9 9	20 20	U-0577-B U-0577-B	UTE	43-047-31969
	#120	NWNW	10	9	21	U-0141315	UTE UTE	43-047-31973 43-047-31972
NBU	#121	NWNE	13	9	21	U-01193	UTE	43-047-
	#122	SWSE	13	9	21	U-01193	UTE	43-047-32085
	#123	MMMM	15	9	21	U-01188	UTE	43-047-31974
	#124 #125	NWNE	16	9	21	ST ML-3282	UTS	43-047-31971
	#126	NESE NENW	17 21	9	21 21	U-0575 U-0576	UTE UTE	43-047-32090 43-047-31962
	#127	SWNW	21	9	21	U-0576	UTE	43-047-31963
NBU	#128	SWSW	21	9	21	U-0576	UTE	43-047-31964
	#129	SENE	22	9	21	U-010950-A	UTE	43-047-31965
	#130	SWNW	22	9	21	U-0147566	UTE	43-047-31967
	#131 #132	WSWN WNWN	23 26	9	21	U-0149075 ST U-01194	UTE	43-047-31966
	#133	SWNE	28	9	21	U-0576	STATE FED.	43-047-31938 43-047-31950
иви	#134	SWSW	28	9	21	U-0576	FED.	43-047-32011
	#135	NESE	18	9	22	U-461	UTE	43-047-32089
	#136 #137 ****	SWSE	19	9	22	U-0284	UTE	43-047-31968
	#137 }se ⁵ ** #138A	SESE SENE	30 33	9 9	22 22	ST ML-22935	STATE	43-047-31939
	#139	SWNE	14	10	21	U-01191-A U-465	FED. FED.	43-047-32151 43-047-31948
	#140	NWNE	5	10	22	U-01191A	FED.	43-047-31947
	#141	SENW	6	10	22	U-464	FED.	43-047-32017
	#142	NESE	10	10	22	U-025187	FED.	43-047-32013
	#143 #144	NWNE	10 23	9 9	21	U-0141315	UTE	43-047-32088
NBU	#145	NWNE	27	9	21 21	U-0149075 ST U-01194-A	UTE STATE	43-047-32044 43-047-31976
NBU	#146	SWNW	14	10	21	U-465	FED.	43-047-31985
	#147	NWSW	4	10	22	U-01191	FED.	43-047-31984
	#148	SESW	4	10	22	U-01191	FED.	43-047-31983
	#149 #150	NESE	5	10	22	U-01191	FED.	43-047-31982
	#151	SENW NWNW	9	10 10	22 22	U-01196-B U-01196-B	FED.	43-047-31992
NBU	#152 AP	SESE	9	10	22	U-01196-D	FED. FED.	43-047-31991 43-047-31990
NBU	#153	SWNW	11	10	22	ST U-01197-A	STATE	43-047-31975
NBU	#154 600 00 00 00 00 00 00 00 00 00 00 00 00	NWSE	26	9	21	ST ML-22934	STATE	43-047-32003
	" = + + · · ·	SENW	31	9	22	ST ML-23607	STATE	43-047-32004
	#156 #157	SWNW SESW	35	9	21	ST U-01194	STATE	43-047-32005
	#158	NWSE	32 27	9	22 21	ST ML-22649 ST U-01194-A	STATE STATE	43-047-32007 43-047-31997
NBU	#159 🗸	NESW	35	9	21	ST U-01194	STATE	43-047-31996
NBU	#160 % ***********************************	SESW	31	9	22	ST ML-22935-A	STATE	43-047-32006
NBU	#161	SESE	32	9	22	ST ML-22649	STATE	43-047-32023
	#162 #163	SENW	12	10	20	U-4478	FED.	43-047-32066
	#164	NENW NWSE	14 3	10 10	21 22	U-465	FED.	43-047-32069
	#165	NENW	3	10	22	U-01191-A U-01191	FED. FED.	43-047-32055 43-047-32057
	#166	SWSE	28	9	21	U-0576	FED.	43-047-32057
	#167	SESW	25	9	21	ST U-01194	STATE	43-047-32054
	#168 "168	NWSW	12	10	20	U-4478	FED.	43-047-32117
NBU	#169	SESW	12	10	20	U-4478	FED.	43-047-32118

UINTAH COUNTY, UTAH

		LOCA	TION		STATE OR BLM		API
WELL #	QUAD	SEC	TWP	RGE	LEASE #	SURFACE	NUMBER
NBU #170	NWNW	4	10	22	U-01191-A	FED.	43-047-32169
NBU #171	SENE	5	10	22	U-01191-A	FED.	43-047-32115
NBU #172 NBU #173	NENE NWNE	19 33	9 9	22 22	U-0284	UTE	43-047-32194
NBU #174	NWNW	11	9	21	U-01191-A U-0141315	FED. UTE	43-047-32116 43-047-32193
NBU #175	NENW	28	9	21	U-0576	FED.	43-047-32143
NBU #176	SWNW	28	9	21	U-0576	FED.	43-047-32144
NBU #177	NESE	29	9	21	U-0581	FED.	43-047-32112
NBU #178 NBU #179	nwne Swsw	30 10	9	21	U-0581	FED.	43-047-32121
NBU #180	SWSE	10	10 10	21 22	U-01416-A U-025187	FED. FED.	43-047-32145 43-047-32113
NBU #181	SESW	9	9	21	U-0576	UTE	43-047-32113
NBU #182	SENW	11	9	21	U-0141315	UTE	43-047-32162
NBU #183	SWNW	27	9	21	ST U-01194-A	STATE	43-047-32122
NBU #184 NBU #185	SESW SWNE	30 3	9 10	22	U-463	FED.	43-047-32170
NBU #186	SENE	30	9	22 22	U-01191-A U-463	FED. FED.	43-047-32171 43-047-
NBU #187	SESW	34	9	22	U-0149077	FED.	43-047-
NBU #188	SWSW	10	10	22	U-01196-C	FED.	43-047-
NBU #189	SESW	23	9	21	U-0149075	UTE	43-047-
NBU #190 V	NWNE	26	9	21	ST U-01194	STATE	43-047-
CIGE 110-7-9-21 CIGE 111-13-9-21	SWSE SESW	7 13	9 9	21	U-0575-B	UTE	43-047-31959
CIGE 112-19-9-21	SESE	19	9	21 21	U-01193 U-0581	UTE UTE	43-047-31954 43-047-31945
CIGE 113-21-9-21	SWNE	21	9	21	U-0576	UTE	43-047-31944
CIGE 114-34-9-21		34	9	21	ST U-01194-A	STATE	43-047-31915
CIGE 115-35-9-21		35	9	21	ST ML-22582	STATE	43-047-31918
CIGE 116-29-9-22		29	9	22	ST ML-22935	STATE	43-047-31919
CIGE 117-34-9-22 CIGE 118-35-9-22	SWNW NESE	34	9 9	22	U-0149077	FED.	43-047-31928
CIGE 119-15-10-21	NENE	35 15	10	22 21	U-010954A	FED.	43-047-32025
CIGE 120-15-9-20	SENE	15	9	20	U-01416-A U-0144868	FED. UTE	43-047-31927 43-047-32032
CIGE 121-15-9-20	NWNE	15	9	20	U-0144868	UTE	43-047-32031
CIGE 122-7-9-21	NENE	7	9	21	U-0149767	UTE	43-047-32098
CIGE 123-7-9-21	SWNE	7	9	21	U-0575-B	UTE	43-047-32047
CIGE 124-9-9-21 CIGE 125-13-9-21	NWSE NWNW	9 13	9 9	21	U-01188	UTE	43-047-32045
CIGE 126-13-9-21	NWSW	13	9	21 21	U-01193 U-01193	UTE UTE	43-047-32084
CIGE 127-16-9-21	NESW	16	9	21	ST ML-3141	UTE	43-047-32087 43-047-32036
CIGE 128-18-9-21	NENE	18	9	21	U-0575	UTE	43-047-32046
CIGE 129-18-9-21	NENW	13	9	21	บ-0581	UTE	43-047-32043
CIGE 130-19-9-21	NENE	19	9 .	21	U-0581	UTE	43-047-32030
CIGE 131-19-9-21 CIGE 132-20-9-21	SWNE NWSW	19 20	9	21	U-0581	UTE	43-047-32029
CIGE 133-35-9-21	SWSE	35	9	21 21	U-0575 ST ML-22582	UTE	43-047-32028
CIGE 134-1-10-20	SWSW	1	10	20	U-02270-A	STATE FED.	43-047-31978 43-047-31989
CIGE 135-3-10-21	SWSW	3	10	21	U-0149078	FED.	43-047-32001
CIGE 136-4-10-21	SWNE	4	10	21	ST ML-22940	STATE	43-047-31979
CIGE 137-6-10-21 CIGE 138A-6-10-21	SENE	6	10	21	U-01791	FED.	43-047-31988
CIGE 139-10-10-21	SENW SWNE	6 10	10 10	21	U-01791	FED.	43-047-31987
CIGE 140-16-10-21		16	10	21 21	U-0149079 ST ML-10755	FED. STATE	43-047-31986 43-047-31977
CIGE 141-7-10-22 V	NWNE	7	10	22	ST ML-23609	STATE	43-047-31977
CIGE 142-25-9-21	SENE	25	9	21	ST U-01189	STATE	43-047-31994
CIGE 143-34-9-21	SWNE	34	9	21	ST U-01194-A	STATE	43-047-31995
CIGE 144-2-10-22 W	SWNE	2	10	22	ST ML-22651	STATE	43-047-32022
CIGE 146-16-10-21	SENW	29 16	9 10	22	ST ML-22935	STATE	43-047-31993
CIGE 147-36-9-22	SESW	36	9	21 22	ST ML-10755 ST ML-22650	STATE STATE	43-047-32021 43-047-32020
CIGE 148-31-9-22	NWNE	31	9	22	ST ML-22935-A	STATE	43-047-32024
CIGE 149-8-10-21	NWNE	8	10	21	U-01791	FED.	43-047-32056
CIGE 150-9-10-21	SWNE	9	10	21	U-01416	FED.	43-047-32058
CIGE 151-10-10-21	SWSE	10	10	21	U-0149079	FED.	43-047-32059
CIGE 152-33-9-22 CIGE 153-35-9-22	SESW	33	9	22	U-01191-A	FED.	43-047-32068
CIGE 153-33-9-22 CIGE 154-13-10-20	SESW NWNW	35 13	9 10	22 20	U-010954-A . U-4485	FED.	43-047-32067
CIGE 155-9-9-21	SENE	9	9	21	U-01188-B	STATE UTE	43-047-32119 43-047-32157
				-		- 	

NATURAL BUTTES

UINTAH COUNTY, UTAH

		LOCA	MOITA		STATÉ OR BLM		API
WELL #	QUAD	SEC	TWP	RGE	LEASE #	SURFACE	NUMBER
CIGE 156-16-9-21	NESE	16	9	21	ST ML-3282	UTE	43-047-32195
CIGE 157-16-9-21	SWNW	16	9	21	U-38409	UTE	43-047-32160
CIGE 158-21-9-21	NESE	21	9	21	U-0576	UTE	43-047-32158
CIGE 159-6-10-21	NWNE	6	10	21	U-01791	FED.	43-047-32120
CIGE 160-14-10-21	SWSE	14	10	21	U-01393-C	FED.	43-047-32124
CIGE 161~2-10-22	SESE	2	10	22	ST ML-22651	STATE	43-047-32168
CIGE 162-36-9-22	SESE	36	9	22	ST ML-22650	STATE	43-047-32164
CIGE 163-15-9-21	SENE	15	9	21	U-01193	TTU	43-047-32192
CIGE 164-34-9-22	NWNE	34	9	22	U-0149077	FED.	43-047-32141
CIGE 165-1-10-20	SWNW	1	10	20	U-02270-A	FED.	43-047-32114
CIGE 166-3-10-21	NENW	3	10	21	U-0149078	FED.	43-047-32172
CIGE 167-7-10-21	NENE	7	10	21	U-01791	FED.	43-047-32142
CIGE 168-16-10-21	NWSE	16	10	21	ST ML-10755	STATE	43-047-32123
CIGE 169-2-10-21	SENW	2	10	21	ST ML-22652	STATE	43-047-
	====:				=======================================		#===# = #===#

Form 3160-14 (October 1986) (formerly 9-593)

UNITED STATES DEPARTMENT OF THE INTERIOR ENTER BUREAU OF LAND MANAGEMENT

INDIVIDUAL WELL RECORD

JAN 1 2 1993


Sec.	6	_
т	108	

	1 1											
0 6									VICION (•	, R	
					Dava	Ap	ril 11,		145 K M	Mi Ai		LB & Me
FEDER	RAL				Date		11+	ah			Rei. No.	
	. 11	-01791				Stat	11:	ntah				
Lease No		Inc. 1	00%	· · · · · · · · · · · · · · · · · · ·	<u> </u>		ntyNa	tural B	uttes			
Lessee	Coacta		Gas Cor	`D.		Field	·		1 Butte	s Unit		
•		138-6-					/CA	1/ . 7	,,,,			
			047-3198				rict	SENW				
		•	<u> </u>			Sub	livision	JLIM			· · · · · · · · · · · · · · · · · · ·	
		-	il 10, 1		······································			4	967! CD			
		\bigcirc	aust									Fee
Date Drilling	•	\wedge	ust	T : [1]			·				.	
Date Drilling		ن)	0,011								
-		duction	(m	20.10	202		•					
'ate Abando	onment Appi	roved (Final)	Dec.	0011	17.5	Initia	al Reservoir	Pressure		····		
		GEOLOGIC	FORMATIC	NS				PR	ODUCTIVE	HORIZON	S	
	SURFACE		I	OWEST TE	STED		NAME		DE	PTHS	CO	NTENTS
SUPFACE	MANAGEI	MENT AGE	NCV	BLM		7		 -				
ŀ		IIP		ederal						·		
	PIRATION			BP.						 		
						ELL CTATU						
YEAR	JAN.	FEB.	MARCH	APRIL	MAY	JUNE	JULY	AUG.	SEPT.	ост.	NOV.	DEC.
1991		122.			ļ	JOINE	3021	A00.	SLI į.	001.	NOV.	DEC.
1992	ABD				SPUD					 		·
1992		PHA		'		· · · · · · · · · · · · · · · · · · ·						
110												<u> </u>
	1											
					1				<u> </u>	 	-	

First Production Memorandum	Lease Extension Memorandum Confirmation	Confirmation		
.marks				

JAN. 17. 2003 3:34PM







WESTPORT OIL AND GAS COMPANY, L.P.

41g Seventsenth Street #2300 Denver Colorada 80202-4436 Telephone: 303 573 5404 Faxt: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE:

BLM Bond CO-1203

BLM Nationwide Bond 158626364 Surety - Continental Casualty Company

Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.

Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.

Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc. Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas

Company, L.P.

List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Black

Debby J. Black

Engineer Technician

Enci:



United States Department of the Interior RECEIVED

BUREAU OF LAND MANAGEMENT

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

Denver Colorado 80215-7093

.

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company, Inc.</u> into <u>Westport Oil and Gas Company, L.P.</u> with <u>Westport Oil and Gas Company, L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

memorandu

Branch of Real Estate Services **Uintah & Ouray Agency**

. 0

Date:

5 December, 2002

Renly to

Attn of:

Supervisory Petroleum Engineer

Subject

Modification of Utah Division of Oil, Gas and Mining Regulations

To:

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. Charles & Common

CC: Minerals & Mining Section of RES

> Ute Energy & Mineral Resources Department: Executive Director chrono



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240
FFB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

ACTING

Director, Office of Trust Responsibilities

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

February 27, 2003

Westport Oil and Gas Company, L.P. Attn: Gary D. Williamson 1670 Broadway, Suite 2800 Denver, Colorado 80202

Re:

Natural Buttes Unit

Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Natural Buttes Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 2 8 2003

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:						
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:						
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Exhibit "A"						
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company	9. API NUMBER:						
3. ADDRESS OF OPERATOR: 9 Greenway Plaza GITY Houston STATE TX 289 77064-0995 (832) 676-5933	10. FIELD AND POOL, OR WILDCAT:						
4. LOCATION OF WELL	<u> </u>						
FOOTAGES AT SURFACE:	COUNTY:						
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH						
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA						
TYPE OF SUBMISSION TYPE OF ACTION							
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION						
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL						
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON						
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR						
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE						
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME PLUG BACK	WATER DISPOSAL .						
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF						
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:						
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION							
DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.							
BOND #							
State Surety Bond No. RLB0005236 Fee Bond No. RLB0005238 RECEIVED							
EL PASO PRODUCTION OIL & GAS COMPANY	LLD 3 6 3003						
	FEB 2 8 2003						
DIV. OF OIL, GAS & MINING							
By:							
WESTPORT OIL AND GAS COMPANY, L.P.							
NAME (PLEASE PRINT) David R. Dix Agent and Attorn							
SIGNATURE DATE							

(This space for State use only)

FAX NO. 4257817094 P. 02 Form 3 160-5 UNITED STATES (August 1999) FORM APPROVED DEPARTMENT OF THE INTERIOR OMB No. 1004-0135 Expires Inovember 30, 2000 BUREAU OF LAND MANAGEMENT 5. Loase Serial No. SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or reenter an SEE ATTACHED EXHIBIT "A" abandoned well. Use Form 3160-3 (APD) for such proposals. 6. If Indian, Allottee or Tribe Name SUBMIT IN TRIPLICATE - Other instructions on reverse side 7. If Unit or CA/Agreement, Name and/or No. Type of Well Oil Well Gas Well Other 8. Well Name and No. Name of Operator WESTPORT OIL & GAS COMPANY, L.P. SEE ATTACHED EXHIBIT "A" 9. API Well No. Address Phone No. (include area code) P.O. BOX 1148 VERNAL, UT 84078 SEE ATTACHED EXHIBIT "A" (435) 781-7023 Location of Well (Footage, Sec., T., R., M., or Survey Description) 10. Field and Pool, or Exploratory Area SEE ATTACHED EXHIBIT "A" 11. County or Parish, State UINTAH COUNTY, UT 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Alter Casing Fracture Treat Subsequent Report Reclamation Well Integrity Casing Repair **New Construction** Recomplete Ø Other Change Plans Plug and Abandon Final Abandonment Notice Temporarily Abandon SUCCESSOR OF Convert to Injection Plug Back 13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration there Water Disposal If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and ze Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/B/A. Required subsequent reports shall be filed within 30 (following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed a testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection. WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003. RECEIVED

			MAR 0 4 2003
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) CHERYL CAMERON Signature	Dat	ERATIONS	DIV. OF OIL, GAS & MINING
Approved by		EDERAL OR STATE US	
Conditions of anymy terms		Title	Date
Conditions of approval, if any, are attached Approval of this notice does not warm certify that the applicant holds legal or equivable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	Hense	Office	
false, fictitious or fraudulent statements or representations as to any ma	igly ar	id willfully to make to any	department or agency of the United States any
(Instructions on reverse)		rama as jurisdiction.	

OPERATOR CHANGE WORKSHEET

ROUTING 1. GLH 2. CDW⊀

3. FILE

X Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	12-17-02				
FROM: (Old Operator):		TO: (New Or	perator):	1:		
EL PASO PRODUCTION OIL & GAS COMPANY						
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148					
	1					
HOUSTON, TX 77064-0995		VERNAL, UT	84078			
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023					
Account No. N1845		Account No.	N2115		•	
CA No.		Unit:	NATURA	L BUTTES		
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU CIGE 38-4-10-21	04-10S-21E	43-047-30495	2900	FEDERAL	GW	P
NBU CIGE 81D-4-10-21	04-10S-21E	43-047-30854	2900	STATE	GW	S
NBU 390-4E	04-10S-21E	43-047-32835	2900	FEDERAL	GW	P
NBU 345-4E	04-10S-21E	43-047-34700	99999	FEDERAL	GW	APD
NBU 29-5B		43-047-30368		FEDERAL	GW	P
COG NBU 102		43-047-31757		FEDERAL	GW	P
NBU 114		43-047-31923		FEDERAL		S
NBU 391-5E		43-047-32988		FEDERAL	GW	P
NBU 16-6B		43-047-30316		FEDERAL	GW	P
NBU CIGE 30-6-10-21	06-10S-21E	43-047-30498	2900	FEDERAL	GW	P
CIGE 137-6-10-21		43-047-31988		FEDERAL		P
NBU 307-6E		43-047-32014		FEDERAL	GW	P
CIGE 138-6-10-21		43-047-31987		FEDERAL	GW	PA
CIGE 138A-6-10-21		43-047-32049		FEDERAL	GW	P
CIGE 159-6-10-21		43-047-32120		FEDERAL	GW	S
CIGE 259		43-047-34367		FEDERAL	GW	S
CIGE 260		43-047-34368		FEDERAL	GW	P
CIGE 392-6E		43-047-33783		FEDERAL	GW	S
CIGE 261	07-10S-21E	43-047-34369	2900	FEDERAL	GW	P
CIGE 262		43-047-34370		FEDERAL	GW	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 02/28/2003						
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 03/04/2003 The new company has been checked through the Department of Commerce, Division of Corporations Database on: 03/06/2003 					03/06/2003	
4. Is the new operator registered in the State of Utah:	YES	Business Numb	_	355743-018		

6. ((R649-9-2)Waste Management Plan has been received on:	IN PLACE			
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or India		_	r, name change BIA-12/5/02	,
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit or	perator for wells listed on:	02/27/2003		
9.	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all well	•	N/A	1.00	
10	. Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the	The Division has approve water disposal well(s) listed		Transfer of Auth N/A	nority to Inject,
D A	ATA ENTRY: Changes entered in the Oil and Gas Database on:	03/19/2003			
2.	Changes have been entered on the Monthly Operator Changes	hange Spread Sheet on:	03/19/2003		
3.	Bond information entered in RBDMS on:	N/A		i e _s	5.0
4.	Fee wells attached to bond in RBDMS on:	N/A		en e	
ST	State well(s) covered by Bond Number:	RLB 0005236		el el el La la el	
	EDERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number:	158626364		A RELIGIO	and a second
	DIAN WELL(S) BOND VERIFICATION: Indian well(s) covered by Bond Number:	RLB 0005239		en eksett in	
FE	E WELL(S) BOND VERIFICATION:		:	1. 1. 1. 1.	<u> </u>
1.	(R649-3-1) The NEW operator of any fee well(s) listed of	overed by Bond Number	RLB 0005238		
	The FORMER operator has requested a release of liability The Division sent response by letter on:	y from their bond on: N/A	N/A		-
3. (CASE INTEREST OWNER NOTIFICATION (R649-2-10) The FORMER operator of the fee wells has to find their responsibility to notify all interest owners of this continued in the continued of their responsibility to notify all interest owners of this continued in the continued of their responsibility to notify all interest owners of this continued in the continued in th	been contacted and informe	d by a letter fror	n the Division	
co	MMENTS:				

R	OUTING
1.	DJJ
2	CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has char	1/6/2006					
FROM: (Old Operator):	TO: (New Operator):					
N2115-Westport Oil & Gas Co., LP		N2995-Kerr-M	N2995-Kerr-McGee Oil & Gas Onshore, LP			
1368 South 1200 East		1368 S	outh 1200 l	East		
Vernal, UT 84078		Vernal, UT 84078				
Phone: 1-(435) 781-7024		Phone: 1-(435)				
CA No.		Unit:		ATURAL E		
WELL NAME	SEC TWN RNO		ENTITY	1	WELL	WELL
	1	1	NO	TYPE	TYPE	STATUS
OPERATOR CHANGES DOCUMENT	ATION					
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation w	as received from the	FORMER ope	rator on:	5/10/2006	i	
2. (R649-8-10) Sundry or legal documentation w	as received from the	e NEW operator	on:	5/10/2006	<u>-</u>	
3. The new company was checked on the Depart	ment of Commerc	e, Division of Co	rporation	s Database	on:	3/7/2006
4a. Is the new operator registered in the State of	Utah: YES	_Business Numb	er:	1 <u>355743-018</u>	31	
4b. If NO , the operator was contacted contacted						
5a. (R649-9-2)Waste Management Plan has been re		IN PLACE				
5b. Inspections of LA PA state/fee well sites comp		n/a	3 LA wells	s & all PA w	⁄ells tran	sferred
5c. Reports current for Production/Disposition & S		ok			 	
6. Federal and Indian Lease Wells: The				_		=
or operator change for all wells listed on Feder	al or Indian leases	on:	BLM	3/27/2006	BIA	not yet
7. Federal and Indian Units: The BLM or BIA has approved the successo	r of unit operator fo	or wells listed on:		3/27/2006		
8. Federal and Indian Communization						
The BLM or BIA has approved the operator	•	•		n/a		
9. Underground Injection Control ("U	IC") The D	ivision has appro	ved UIC F	orm 5, Tran	sfer of A	uthority to
Inject, for the enhanced/secondary recovery un	nit/project for the w	ater disposal wel	l(s) listed o	n:		
DATA ENTRY:						
1. Changes entered in the Oil and Gas Database		5/15/2006				
2. Changes have been entered on the Monthly O				5/15/2006	-	
3. Bond information entered in RBDMS on:		5/15/2006	•			
4. Fee/State wells attached to bond in RBDMS of		5/16/2006				
5. Injection Projects to new operator in RBDMS			,	NT 611		
6. Receipt of Acceptance of Drilling Procedures	for APD/New on:		n/a	Name Char	ige Only	
BOND VERIFICATION:		001000				
1. Federal well(s) covered by Bond Number:		CO1203				
2. Indian well(s) covered by Bond Number:	Kasatian and and	RLB0005239		DI DAGA SAA	,	
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number RLB0005236						
a. The FORMER operator has requested a release of liability from their bond on:						
The Division sent response by letter on: LEASE INTEREST OWNER NOTIFICATION:						
4. (R649-2-10) The FORMER operator of the fee		tacted and inform	ned hv a let	ter from the	Division	
of their responsibility to notify all interest owner			5/16/2006		NIAISIOII	
COMMENTS:						

4 Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED
OMB No. 1004-0135
Expires Inovember 30, 200

	· · · · · · · · · · · · · · · · · · ·		J. Lease Senai No.			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE – Other instructions on reverse side			MULTIPLE LEASES	MULTIPLE LEASES		
			6. If Indian, Allottee or Tribe Name			
			7. If Unit or CA/Agreement, Name and/or	No.		
Type of Well						
Oil Well X Gas Well	Other	•	8. Well Name and No.	······································		
. Name of Operator		· · · · · · · · · · · · · · · · · · ·	MUTIPLE WELLS			
(ERR-McGEE OIL & GAS (ONSHORE LP		9. API Well No.			
a. Address		3b. Phone No. (include area coa	le)			
1368 SOUTH 1200 EAST V		(435) 781-7024	10. Field and Pool, or Exploratory Area			
. Location of Well (Footage, Sec.,	T., R., M., or Survey Description	on)				
			11. County or Parish, State			
SEE ATTACHED			UINTAH COUNTY, UTAH			
12. CHECK APP	ROPRIATE BOX(ES) TO I	NDICATE NATURE OF NOTI	CE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF AC	TION			
Notice of Intent	Acidize		uction (Start/Resume)			
X Subsequent Report	Alter Casing	= =	amation Well Integrity			
A Subsequent Report	Casing Repair Change Plans		omplete			
Final Abandonment Notice	Convert to Injection		er Disposal			
ronowing completion of the involved	operations. It the operation result bandonment Notices shall be file	its in a multiple completion or recomp	Required subsequent reports shall be filed within 30 da letion in a new interval, a Form 3160-4 shall be filed on g reclamation, have been completed, and the operator h			
PLEASE BE ADVISED THAT DPERATOR OF THE ATTAC (ERR-McGEE OIL & GAS C DF THE LEASE(S) FOR TH S PROVIDED BY STATE O BLM B BIA	CHED WELL LOCATIO DNSHORE LP, IS RESP E OPERATIONS CONI	ONS. EFFECTIVE JANUAR PONSIBLE UNDER TERM: DUCTED UPON LEASE LA E BOND NO. RLB0005237. APPRO	RY 6, 2006. S AND CONDITIONS ANDS. BOND COVERAGE	0 2006		
4. I hereby certify that the foregoing		Division of	Oll, Cas and Mining	_		
Name (Printed/Typed) FANDY BAYNE	, 10 0 40 4114 0011001	Title Earlene Rus DRILLING MANAGER	sell, Engineering Technician			
Sightature Sayne		Date May 9, 2006				
7 4 7	THIS SPACE	FOR FEDERAL OR STATE US	<u> </u>			
Approved by		Title	Date	5:::::		
Conditions of approval, if any, are attached certify that the applicant holds legal or equi- which would entitle the applicant to conduct	table title to those rights in the subj	warrant or Office ject lease				

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3 160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

BUREAU OF LAND MANAGEMENT

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS

MUTICUELEAGE

MULTIPLE LEAS	ES	
---------------	----	--

			MOETH EE CEAGLO
Do not use this abandoned well.	6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE – Other instructions on reverse side			7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well			
2. Name of Operator	U Other		8. Well Name and No.
•			MUTIPLE WELLS
WESTPORT OIL & GAS CO			9. API Well No.
3a. Address		b. Phone No. (include area code)	
1368 SOUTH 1200 EAST		(435) 781-7024	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,	, T., R., M., or Survey Description,)	
			11. County or Parish, State
SEE ATTACHED			UINTAH COUNTY, UTAH
······································	PROPRIATE BOX(ES) TO IN	DICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	ON
Notice of Intent	Acidize [on (Start/Resume) Water Shut-Off
Subsequent Report	Alter Casing	Fracture Treat Reclama	
Subsequent Report	Casing Repair Change Plans	New Construction Recompt Plug and Abandon Tempora	
Final Abandonment Notice	Convert to Injection	Plug Back Water Di	rily Abandon OPERATOR
testing has been completed. Final A determined that the site is ready for fine EFFECTIVE JANUARY 6, 2 THE OPERATORSHIP OF ONSHORE LP.	Roandonment Notices shall be filed on a linspection. 2006, WESTPORT OIL & THE ATTACHED WELL L	ONLY after all requirements, including red GAS COMPANY L.P., HAS OCATIONS TO KERR-McG	RELINQUISHED SEE OIL & GAS
		OVED 5/16/06	RECEIVED
	Car	love Russell	· ·
Division of Oil, Gas and Mining			MAY 1 0 2006
	Earlene Ru	issell, Engineering Technici	NO 100 00 00 0
14. I hereby certify that the foregoin	ng is true and correct		DIV OF OIL, GAS & MINING
Name (Printed/Typed)		Title	
BRAD LANEY		ENGINEERING SPECIALI	ST
Signature		Date May 9, 2006	
	THIS SPACE F	OR FEDERAL OR STATE USE	
Approved by		Title	Date
Grad Kanns	, ************************************		5-9-06
Conditions of approval, if any, are attached certify that the applicant holds legal of equ	Approval of this notice does not war	rant or Office	
which would entitle the applicant to conduc	nation and to move fights in the subject of operations thereon.	(ICASE	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Colorado State Office 2850 Youngfield Street Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM) 3106 COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. 1999 Broadway, Suite 3700

Oil & Gas

Denver, CO 80202

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303,239,3768.

/s/Martha L. Maxwell Martha L. Maxwell Land Law Examiner Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:
MMS MRM, MS 357B-1
WY, UT, NM/OK/TX, MT/ND, WY State Offices
CO Field Offices
Wyoming State Office

Rider #1 to Bond WY2357 Rider #2 to Bond WY1865 Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-922)

March 27, 2006

Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of Fluid Minerals

Dung Good

Enclosure

Approval letter from BLM COSO (2 pp)

cc:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225

State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson

Joe Incardine

Connie Seare

Dave Mascarenas

Susan Bauman

MAR 2 8 2006

EMOFOL, COLLINED